



AJTÓ KATALÓGUS

2024





CREATE
an interior
WITH CHARACTER

SYMBOLS USED IN THE CATALOGUE6

LACQUERED PANEL DOORS 8

BRENTA10

VENIS.....12

LARIX14

LINEA16

LINEA PREMIUM18

LINEA PREMIUM LOFT20

GRAFEN.....22

SALVANO24

VENEER FRAMED DOORS 26

CLIF.....28

MAGNETIC.....30

GRECO.....32

TRAFFIC34

HAVANA36

LUKKA38

TOSCA.....40

FERRO.....42

VENEER PANEL DOORS 44

MODUL.....46

DARK.....48

MILK.....50

VERTI52

GLAS.....54

SAGA.....56

ASTERIA NL58

DISCOVERY.....60

TETYDA62

NATURA HR64

ANDROMEDA.....66

DEMETER.....68

ARENA.....70

SIDE PANEL72

TECHNICAL PANEL DOORS 74

NATURA HK CPL / HB CPL76

NATURA HK HPL / HB HPL78

DOORS ALIGNED WITH THE WALL 80

COMPACT82

SLIDING DOOR SYSTEMS 84

DOUBLE LEAF SLIDING DOOR SYSTEM86

SINGLE LEAF SLIDING DOOR SYSTEM87

AERO.....88

MODI DESIGN.....90

SLIDING POCKET DOOR SYSTEM - ECLISSE.....91

WOOD-BASED DOOR FRAMES 92

ADJUSTABLE / ADJUSTABLE 8094

NON-REBATED ADJUSTABLE / ADJUSTABLE 8096

STANDARD 2-PACK FIXED98

THE ABC OF DOORS - INFORMATION DATABASE 100

ADDITIONAL ELEMENTS--102

DOOR DIMENSIONS103

MOULDINGS / RAL COLOURS104

ACCESSORIES106

HANDLES108

VENEER112

VENEER / LACQUER115

HPL UNI DECORS116

HPL WOOD DECORS117

SYMBOLS USED IN THE CATALOGUE6

LACQUERED PANEL DOORS-- 8

BRENTA10

VENIS.....12

LARIX14

LINEA16

LINEA PREMIUM18

LINEA PREMIUM LOFT20

GRAFEN.....22

SALVANO24

VENEER FRAMED DOORS 26

CLIF.....28

MAGNETIC.....30

GRECO.....32

TRAFFIC34

HAVANA36

LUKKA38

TOSCA.....40

FERRO.....42

VENEER PANEL DOORS 44

MODUL.....46

DARK.....48

MILK.....50

VERTI52

GLAS.....54

SAGA.....56

ASTERIA NL58

DISCOVERY.....60

TETYDA62

NATURA HR64

ANDROMEDA.....66

DEMETER.....68

ARENA.....70

SIDE PANEL72

TECHNICAL PANEL DOORS 74

NATURA HK CPL / HB CPL76

NATURA HK HPL / HB HPL78

DOORS ALIGNED WITH THE WALL 80

COMPACT82

SLIDING DOOR SYSTEMS 84

DOUBLE LEAF SLIDING DOOR SYSTEM86

SINGLE LEAF SLIDING DOOR SYSTEM87

AERO.....88

MODI DESIGN.....90

SLIDING POCKET DOOR SYSTEM - ECLISSE.....91

WOOD-BASED DOOR FRAMES 92

ADJUSTABLE / ADJUSTABLE 8094

NON-REBATED ADJUSTABLE / ADJUSTABLE 8096

STANDARD 2-PACK FIXED98

THE ABC OF DOORS - INFORMATION DATABASE 100

ADDITIONAL ELEMENTS--102

DOOR DIMENSIONS103

MOULDINGS / RAL COLOURS104

ACCESSORIES106

HANDLES108

VENEER112

VENEER / LACQUER115


HPL UNI DECORS116

HPL WOOD DECORS117

SYMBOLS USED IN THE CATALOGUE

SYMBOLS USED IN THE CATALOGUE--

TYPE OF DOORS / TYPE OF DOORS




Single leaf doors

Single leaf doors

The most frequently chosen type of doors, commonly used in construction. Depending on the collection and purpose, leaves with the width from 60 to 120 cm are used. Next to this icon, you will always find the range of available widths for the selected collection.

The most frequently chosen type of doors, commonly used in construction. Depending on the collection and purpose, leaves with the width from 60 to 120 cm are used. Next to this icon, you will always find the range of available widths for the selected collection.



Double leaf doors

Double leaf doors

A type of door used for very wide door openings. Depending on the collection and purpose, the total width of both leaves from 120 to 200 cm is used. Active and passive leaf available only in rebated version. Next to this icon, you will always find the range of available widths for the selected collection.

A type of door used for very wide door openings. Depending on the collection and purpose, the total width of both leaves from 120 to 200 cm is used. Active and passive leaf available only in rebated version. Next to this icon, you will always find the range of available widths for the selected collection.



Single leaf sliding doors

Single leaf sliding doors

To open this door leaf, you need to slide it along a wall, it can also disappear completely into the wall cavity. There are several types of sliding systems available, so you can choose the one that suits your needs and interior design. Sliding doors are only available with a straight, non-rebated edge.

To open this door leaf, you need to slide it along a wall, it can also disappear completely into the wall cavity. There are several types of sliding systems available, so you can choose the one that suits your needs and interior design. Sliding doors are only available with a straight, non-rebated edge.




Double leaf sliding doors

Double leaf sliding doors

Two door leaves used in case of very wide door openings. There are two types of sliding systems available, so you can choose the one that suits your needs and interior design - either the on-wall or the pocket door system. Sliding doors are only available with a straight, non-rebated edge.

Two door leaves used in case of very wide door openings. There are two types of sliding systems available, so you can choose the one that suits your needs and interior design - either the on-wall or the pocket door system. Sliding doors are only available with a straight, non-rebated edge.

DOORS CONSTRUCTION AND FILLING / DOORS CONSTRUCTION AND FILLING




Classen Hard

Classen Hard

Reinforced peripheral frame, consisting of two construction elements: a peripheral frame made of softwood and MDF, filled with a highly specialized cardboard. This solution guarantees increased rigidity of a door leaf and resistance against warping.

Reinforced peripheral frame, consisting of two construction elements: a peripheral frame made of softwood and MDF, filled with a highly specialized cardboard. This solution guarantees increased rigidity of a door leaf and resistance against warping.




Framed construction

Framed construction

It consists of single elements, made entirely of wood-based material - MDF, covered with Classen decors, joined together with the use of solid mounting pins.

It consists of single elements, made entirely of wood-based material - MDF, covered with Classen decors, joined together with the use of solid mounting pins.




Perforated chipboard

Perforated chipboard

Construction consisting of a perforated, wood-based chipboard placed between a peripheral frame made of softwood / MDF. Such construction of a door leaf guarantees high stability and increased sound absorption.

Construction consisting of a perforated, wood-based chipboard placed between a peripheral frame made of softwood / MDF. Such construction of a door leaf guarantees high stability and increased sound absorption.




Chipboard

Chipboard

Construction consisting of a solid chipboard placed between a peripheral frame made of softwood / MDF. Such construction of a door leaf guarantees a high stability and very good sound absorption.

Construction consisting of a solid chipboard placed between a peripheral frame made of softwood / MDF. Such construction of a door leaf guarantees a high stability and very good sound absorption.



Honeycomb

Honeycomb

It is a highly specialized cardboard with a construction and structure similar to a honeycomb, used as a standard stabilizing filling between construction / peripheral frame of a door leaf.

It is a highly specialized cardboard with a construction and structure similar to a honeycomb, used as a standard stabilizing filling between construction / peripheral frame of a door leaf.



HLT chipboard, acoustic

HLT chipboard, acoustic

A construction consisting of a solid chipboard with increased acoustic parameters, placed between a peripheral frame made of softwood and plywood.

A construction consisting of a solid chipboard with increased acoustic parameters, placed between a peripheral frame made of softwood and plywood.

TYPE OF DOOR REBATE / TYPE OF DOOR REBATE



Hard Edge K

Hard Edge K

Widely used, aesthetically executed edge with K rebate profile is a standard finishing of a door leaf edge. An edge with K profile is stylish and always in fashion.

Widely used, aesthetically executed edge with K rebate profile is a standard finishing of a door leaf edge. An edge with K profile is stylish and always in fashion.



Hard Edge B

Hard Edge B

A straight edge of a non-rebated door, timeless, aesthetic and durable. This solution increases the visual value, because the door creates a uniform surface with the door frame.

A straight edge of a non-rebated door, timeless, aesthetic and durable. This solution increases the visual value, because the door creates a uniform surface with the door frame.



Hard Edge R

Hard Edge R

Aesthetically rounded edge with the radius of 5 mm. This practical solution guarantees not only safety to our children, but also easier maintenance.

Aesthetically rounded edge with the radius of 5 mm. This practical solution guarantees not only safety to our children, but also easier maintenance.




Hard Edge PF

Hard Edge PF

The rounded edge of the door leaf with a radius of 4 mm, finished with flexible CPL laminates, obtained thanks to the modern technology of boards refinement - postforming. Characteristic features - abrasion resistance and safety.

The rounded edge of the door leaf with a radius of 4 mm, finished with flexible CPL laminates, obtained thanks to the modern technology of boards refinement - postforming. Characteristic features - abrasion resistance and safety.

DOOR FINISHES / DOOR FINISHES



3D Look

3D Look

Veneers with synchronous pores effect. The pores synchronized with the woodgrain pattern optically emboss it, which leads to creation of a three-dimensional effect. These decors perfectly imitate natural veneer.

Veneers with synchronous pores effect. The pores synchronized with the woodgrain pattern optically emboss it, which leads to creation of a three-dimensional effect. These decors perfectly imitate natural veneer.



CPL

CPL

Laminate characterized by very high scratch and abrasion resistance, composed of four hot-pressed layers with the use of special adhesives, covered with a durable overlay lacquer. The main advantages include particularly high scratch and abrasion, high temperatures, UV and chemical resistance.

Laminate characterized by very high scratch and abrasion resistance, composed of four hot-pressed layers with the use of special adhesives, covered with a durable overlay lacquer. The main advantages include particularly high scratch and abrasion, high temperatures, UV and chemical resistance.



Iridium

Iridium

Laminate characterized by high scratch and abrasion resistance, created in the process of hot press lamination with the use of special glues, covered with scratch resistant overlay lacquer. The main advantages include particularly high scratch and abrasion, chemical and UV resistance as well as high aesthetic value achieved due to the possibility of applying wood structure.

Laminate characterized by high scratch and abrasion resistance, created in the process of hot press lamination with the use of special glues, covered with scratch resistant overlay lacquer. The main advantages include particularly high scratch and abrasion, chemical and UV resistance as well as high aesthetic value achieved due to the possibility of applying wood structure.




HPL

HPL

Decorative laminate, 0.8 mm thick, based on thermosetting resins. Created of several layers, which are composed of melamine decorative papers and one or more resin-impregnated reinforcing papers. They are characterized by a very high resistance to both chemical agents and mechanical damage.

Decorative laminate, 0.8 mm thick, based on thermosetting resins. Created of several layers, which are composed of melamine decorative papers and one or more resin-impregnated reinforcing papers. They are characterized by a very high resistance to both chemical agents and mechanical damage.




Iridium

Iridium

HDF surface covered with primer and ecological lacquer hardened with UV rays. Standard white Lac colour is an equivalent of RAL 9003.

HDF surface covered with primer and ecological lacquer hardened with UV rays. Standard white Lac colour is an equivalent of RAL 9003.



PU lacquer

PU lacquer

Smooth satin HDF surface coated with polyurethane lacquer. Our standard offer includes collections in RAL 7004 gray and RAL 9005 black. Other colours from the RAL palette (table on page 105) are available only in this lacquer quality.

Smooth satin HDF surface coated with polyurethane lacquer. Our standard offer includes collections in RAL 7004 gray and RAL 9005 black. Other colours from the RAL palette (table on page 105) are available only in this lacquer quality.



RAL palette colours

RAL palette colours

A possibility to finish the door in colours from the RAL palette as an extra-cost option, details in the table on page 105. Minimum order quantity - 3 sets (door leaf + door frame). All collections in RAL are finished in polyurethane lacquer quality.

A possibility to finish the door in colours from the RAL palette as an extra-cost option, details in the table on page 105. Minimum order quantity - 3 sets (door leaf + door frame). All collections in RAL are finished in polyurethane lacquer quality.



UV Pure lacquer

UV Pure lacquer

HDF surface coated with eco-friendly lacquer and polyurethane primer, which creates a velvety smooth surface of the door leaf. Standard white Lac colour is an equivalent of RAL 9003.

HDF surface coated with eco-friendly lacquer and polyurethane primer, which creates a velvety smooth surface of the door leaf. Standard white Lac colour is an equivalent of RAL 9003.



LACQUERED PANEL DOORS

PUERTAS DE PANELES LACADOS

A perfect combination of modern design and high-quality workmanship. In our collections, they most often appear in the colour of timeless white, which makes them a great means to enlarge the interior optically. The minimalism of decorations gives them an elegant character. The surface of the leaves finished with lacquer is perfectly smooth. The doors are easy to clean and maintain. They are also distinguished by high durability and resistance to damage, which makes them a good investment for years.

A perfect combination of modern design and high-quality workmanship. In our collections, they most often appear in the colour of timeless white, which makes them a great means to enlarge the interior optically. The minimalism of decorations gives them an elegant character. The surface of the leaves finished with lacquer is perfectly smooth. The doors are easy to clean and maintain. They are also distinguished by high durability and resistance to damage, which makes them a good investment for years.



DO YOU PREFER SIMPLICITY AND MONOCHROMATIC COLOURS? You will find them in lacquered doors with a minimalist design. Thanks to them, you will emphasize the elegant and subdued character of your apartment.

DO YOU PREFER SIMPLICITY AND MONOCHROMATIC COLOURS? You will find them in lacquered doors with a minimalist design. Thanks to them, you will emphasize the elegant and subdued character of your apartment.

DOU YOU LOVE VIVID COLOURS? Do you feel that they express your personality? Don't give up on them! Lacquered doors will harmonize beautifully with even the craziest palette of colours, while introducing balance in the interior design.

DOU YOU LOVE VIVID COLOURS? Do you feel that they express your personality? Don't give up on them! Lacquered doors will harmonize beautifully with even the craziest palette of colours, while introducing balance in the interior design.



BRENTA

LACQUERED PANEL DOORS NON-REBATED
LACQUERED PANEL DOORS NON-REBATED



DOOR SPECIFICATION

- peripheral frame made of MDF board, stabilizing "honeycomb" core
- Rebated door leaf:**
 - two silver screw-in pintle hinges ¹
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- Non-rebated door leaf:**
 - two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
 - standard fixed and adjustable door frame, UV lacquered
- Hard edge B:**
 - non-rebated adjustable door frame, UV lacquered


EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - ventilation sleeves (white)
- Construction:**
 - third hinge
 - perforated chipboard (rebated and non-rebated)
 - non-rebated door leaf
 - door leaf 100'
 - sliding and passive door leaf

- ¹ Door leaves 100' and reinforced door leaves regardless of the size - the set includes 3 hinges.
Door leaves 100' and reinforced door leaves regardless of the size - the set includes 3 hinges.
- ² Minimum order quantity in the case of RAL colour finish - 3 sets (door leaf + door frame).
Minimum order quantity in the case of RAL colour finish - 3 sets (door leaf + door frame).



modell / model 1 modell / model 2 modell / model 3 modell / model 4



modell / model 5 modell / model 6 modell / model 7

MODELLEK

MODELS

RÉSZLETEK

DETAILS



groove profile

groove profile

UV Pure lacquer



WHITE
WHITE



AVAILABLE IN RAL
PALETTE ²
AVAILABLE IN RAL
PALETTE

HU
EN

DOOR SPECIFICATION

- peripheral frame made of MDF board, stabilizing "honeycomb" core
- Rebated door leaf:**
 - two silver screw-in pintle hinges ¹
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- Non-rebated door leaf:**
 - two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
 - standard fixed and adjustable door frame, UV lacquered
- Hard edge B:**
 - non-rebated adjustable door frame, UV lacquered

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - ventilation sleeves (white)
- Construction:**
 - third hinge
 - perforated chipboard (rebated and non-rebated)
 - non-rebated door leaf
 - door leaf 100'
 - sliding and passive door leaf

VENIS

LACQUERED PANEL DOORS NON-REBATED
LACQUERED PANEL DOORS NON-REBATED



DOOR SPECIFICATION

- peripheral frame made of MDF board, stabilizing "honeycomb" core
- milky-white toughened safety glass with an overprint
- Rebated door leaf:**
 - two silver screw-in pintle hinges¹
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- Non-rebated door leaf:**
 - two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
 - standard fixed and adjustable door frame, UV lacquered
- Hard edge B:**
 - non-rebated adjustable door frame, UV lacquered

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - ventilation sleeves (white)
- Construction:**
 - third hinge
 - perforated chipboard (rebated and non-rebated)
 - non-rebated door leaf
 - door leaf 100'
 - sliding and passive door leaf

- ¹ | Door leaves 100' and reinforced door leaves regardless of the size - the set includes 3 hinges. *Door leaves 100' and reinforced door leaves regardless of the size - the set includes 3 hinges.*
- ² | Minimum order quantity in the case of RAL colour finish - 3 sets (door leaf + door frame). *Minimum order quantity in the case of RAL colour finish - 3 sets (door leaf + door frame).*



MODELLEK MODELS
RÉSZLETEK DETAILS



groove profile
groove profile




glazing frame
glazing frame



milky-white toughened safety glass with an overprint
milky-white toughened safety glass with an overprint

UV Pure lacquer



WHITE
WHITE



AVAILABLE IN RAL
PALETTE²
AVAILABLE IN RAL
PALETTE²

HU
EN

DOOR SPECIFICATION


- peripheral frame made of MDF board, stabilizing "honeycomb" core
- milky-white toughened safety glass with an overprint
- Rebated door leaf:**
 - two silver screw-in pintle hinges¹
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- Non-rebated door leaf:**
 - two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES


- Hard edge K:**
 - standard fixed and adjustable door frame, UV lacquered
- Hard edge B:**
 - non-rebated adjustable door frame, UV lacquered

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - ventilation sleeves (white)
- Construction:**
 - third hinge
 - perforated chipboard (rebated and non-rebated)
 - non-rebated door leaf
 - door leaf 100'
 - sliding and passive door leaf



model 1 model 2 model 3 model 4



model 5 model 6 model 7

MODELLEK

MODELS

RÉSZLETEK

DETAILS



aluminum profile

aluminum profile

DOOR SPECIFICATION

- peripheral frame made of MDF board, perforated chipboard core
- Rebated door leaf:**
 - three silver screw-in pintle hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- Non-rebated door leaf:**
 - two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
 - standard fixed and adjustable door frame, UV lacquered
- Hard edge B:**
 - non-rebated adjustable door frame, UV lacquered

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - ventilation sleeves (white)
- Construction:**
 - non-rebated door leaf
 - door leaf 100'
 - sliding and passive door leaf

¹ | Minimum order quantity in the case of RAL colour finish - 3 sets (door leaf + door frame).
Minimum order quantity in the case of RAL colour finish - 3 sets (door leaf + door frame).

UV Pure lacquer



WHITE
WHITE



AVAILABLE IN RAL
PALETTE ¹
AVAILABLE IN RAL
PALETTE ¹

HU
EN

DOOR SPECIFICATION

- peripheral frame made of MDF board, perforated chipboard core
- Rebated door leaf:**
 - three silver screw-in pintle hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- Non-rebated door leaf:**
 - two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
 - standard fixed and adjustable door frame, UV lacquered
- Hard edge B:**
 - non-rebated adjustable door frame, UV lacquered

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - ventilation sleeves (white)
- Construction:**
 - non-rebated door leaf
 - door leaf 100'
 - sliding and passive door leaf



DOOR SPECIFICATION

- peripheral frame made of MDF board, stabilizing "honeycomb" core
 - satin glass ¹
 - glazing frame veneer with Primo – white decor
- Rebated door leaf:**
- two silver screw-in pintle hinges ²
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- Non-rebated door leaf:**
- two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock


DEDICATED DOOR FRAMES

- Hard edge K:**
- standard fixed and adjustable door frame, UV lacquered
- Hard edge B:**
- non-rebated adjustable door frame, UV lacquered

EXTRA-COST OPTIONS

- Ventilation:**
- ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - ventilation sleeves (white)
- Construction:**
- third hinge
 - perforated chipboard (rebated and non-rebated)
 - non-rebated door leaf
 - door leaf 100"
 - sliding and passive door leaf

- ¹ | Except for model 1.2 – milky-white toughened glass with horizontal, transparent stripes.
Except for model 1.2 – milky-white toughened glass with horizontal, transparent stripes.
- ² | Door leaves 100" and reinforced door leaves regardless of the size – the set includes 3 hinges.
Door leaves 100" and reinforced door leaves regardless of the size – the set includes 3 hinges.
- ³ | Minimum order quantity in the case of RAL colour finish – 3 sets (door leaf + door frame).
Minimum order quantity in the case of RAL colour finish – 3 sets (door leaf + door frame).



MODELLEK

MODELS

RÉSZLETEK

DETAILS



glazing frame

glazing frame



satin glass

satin glass



groove profile

groove profile



milky-white toughened safety glass for models 1.2 and 1.3

milky-white toughened safety glass for models 1.2 and 1.3

UV lacquer



WHITE
WHITE



AVAILABLE IN RAL
PALETTE ³
AVAILABLE IN RAL
PALETTE ³

DOOR SPECIFICATION

- peripheral frame made of MDF board, stabilizing "honeycomb" core
 - satin glass ¹
 - glazing frame veneer with Primo – white decor
- Rebated door leaf:**
- two silver screw-in pintle hinges ²
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- Non-rebated door leaf:**
- two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
- standard fixed and adjustable door frame, UV lacquered
- Hard edge B:**
- non-rebated adjustable door frame, UV lacquered

EXTRA-COST OPTIONS

- Ventilation:**
- ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - ventilation sleeves (white)
- Construction:**
- third hinge
 - perforated chipboard (rebated and non-rebated)
 - non-rebated door leaf
 - door leaf 100"
 - sliding and passive door leaf

LINEA PREMIUM LOFT

LACQUERED PANEL DOORS NON-REBATED
LACQUERED PANEL DOORS NON-REBATED



DOOR SPECIFICATION

- peripheral frame made of MDF board, stabilizing "honeycomb" core
- Rebated door leaf:**
 - two silver screw-in pintle hinges¹
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- Non-rebated door leaf:**
 - two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
 - standard fixed and adjustable door frame, PU lacquered
- Hard edge B:**
 - non-rebated adjustable door frame, PU lacquered


ADDITIONAL INFORMATION

- min. order quantity – 2 sets


EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - ventilation sleeves (graphite)
- Construction:**
 - third hinge
 - perforated chipboard (rebated and non-rebated)
 - non-rebated door leaf
 - door leaf 100'
 - sliding and passive door leaf
- Finish:**
 - door frames: extra-cost of PU lacquer, acc. to RAL table, group III (page 105)

¹ | Door leaves 100' and reinforced door leaves regardless of the size – the set includes 3 hinges.
Door leaves 100' and reinforced door leaves regardless of the size – the set includes 3 hinges.



model 1 model 2 model 3



model 4 model 5 model 10 (smooth)

MODELLEK

MODELS

RÉSZLETEK

DETAILS



groove profile

groove profile

PU lacquer



9005 BLACK MATT
9005 BLACK MATT

HU
EN

DOOR SPECIFICATION

- peripheral frame made of MDF board, stabilizing "honeycomb" core
- Rebated door leaf:**
 - two silver screw-in pintle hinges¹
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- Non-rebated door leaf:**
 - two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES


- Hard edge K:**
 - standard fixed and adjustable door frame, PU lacquered
- Hard edge B:**
 - non-rebated adjustable door frame, PU lacquered

ADDITIONAL INFORMATION

- min. order quantity – 2 sets

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - ventilation sleeves (graphite)
- Construction:**
 - third hinge
 - perforated chipboard (rebated and non-rebated)
 - non-rebated door leaf
 - door leaf 100'
 - sliding and passive door leaf
- Finish:**
 - door frames: extra-cost of PU lacquer, acc. to RAL table, group III (page 105)



DOOR SPECIFICATION

- peripheral frame made of MDF board, stabilizing "honeycomb" core
- Rebated door leaf:**
 - two silver screw-in pintle hinges ¹
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- Non-rebated door leaf:**
 - two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
 - standard fixed and adjustable door frame, UV lacquered
- Hard edge B:**
 - non-rebated adjustable door frame, UV lacquered

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - ventilation sleeves (white)
- Construction:**
 - third hinge
 - perforated chipboard (rebated and non-rebated)
 - non-rebated door leaf
 - door leaf 100'
 - sliding and passive door leaf

- ¹ Door leaves 100' and reinforced door leaves regardless of the size – the set includes 3 hinges.
Door leaves 100' and reinforced door leaves regardless of the size – the set includes 3 hinges.
- ² Minimum order quantity in the case of RAL colour finish – 3 sets (door leaf + door frame).
Minimum order quantity in the case of RAL colour finish – 3 sets (door leaf + door frame).



model 1



model 2



model 3



model 4

MODELLEK

MODELS

RÉSZLETEK


DETAILS



groove profile

groove profile

UV Pure lacquer



WHITE
WHITE



AVAILABLE IN RAL
PALETTE ²
AVAILABLE IN RAL
PALETTE ²

HU
EN

DOOR SPECIFICATION

- peripheral frame made of MDF board, stabilizing "honeycomb" core
- Rebated door leaf:**
 - two silver screw-in pintle hinges ¹
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- Non-rebated door leaf:**
 - two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
 - standard fixed and adjustable door frame, UV lacquered
- Hard edge B:**
 - non-rebated adjustable door frame, UV lacquered

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - ventilation sleeves (white)
- Construction:**
 - third hinge
 - perforated chipboard (rebated and non-rebated)
 - non-rebated door leaf
 - door leaf 100'
 - sliding and passive door leaf

SALVANO

LACQUERED PANEL DOORS NON-REBATED
LACQUERED PANEL DOORS NON-REBATED



DOOR SPECIFICATION

- peripheral frame made of softwood, perforated chipboard core
 - milky-white toughened safety glass
- Rebated door leaf:**
- three silver screw-in pintle hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- Non-rebated door leaf:**
- two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
- standard fixed and adjustable door frame, UV lacquered
- Hard edge B:**
- non-rebated adjustable door frame, UV lacquered

EXTRA-COST OPTIONS

- Ventilation:**
- ventilation undercut
- Construction:**
- non-rebated door leaf
 - door leaf 100'

¹ | Minimum order quantity in the case of RAL colour finish – 3 sets (door leaf + door frame).
Minimum order quantity in the case of RAL colour finish – 3 sets (door leaf + door frame).



MODELLEK

MODELS


RÉSZLETEK

DETAILS



milky-white toughened safety glass


milky-white toughened safety glass



ventilation undercut for all models

ventilation undercut for all models

UV Pure lacquer



WHITE
WHITE



AVAILABLE IN RAL
PALETTE ¹
AVAILABLE IN RAL
PALETTE ¹

HU
EN

DOOR SPECIFICATION

- peripheral frame made of softwood, perforated chipboard core
 - milky-white toughened safety glass
- Rebated door leaf:**
- three silver screw-in pintle hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- Non-rebated door leaf:**
- two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
- standard fixed and adjustable door frame, UV lacquered
- Hard edge B:**
- non-rebated adjustable door frame, UV lacquered

EXTRA-COST OPTIONS

- Ventilation:**
- ventilation undercut
- Construction:**
- non-rebated door leaf
 - door leaf 100'



VENEER FRAMED DOORS

VENEER FRAMED DOORS

Classics at its best. A great proposition for those who choose timeless elegance instead of succumbing to seasonal fashions. The framed construction provides the leaves with stability and increased resistance to damage. Inside the strong frame there are various types of fillings, including coffers, glazing, HDF panels and even mirrors. The variety of available models not only provides a real feast for the eye, but also a comfort of choosing for future users. Choosing the door that best suits individual preferences and is precisely tailored to the needs of the buyers.

Classics at its best. A great proposition for those who choose timeless elegance instead of succumbing to seasonal fashions. The framed construction provides the leaves with stability and increased resistance to damage. Inside the strong frame there are various types of fillings, including coffers, glazing, HDF panels and even mirrors. The variety of available models not only provides a real feast for the eye, but also a comfort of choosing for future users. Choosing the door that best suits individual preferences and is precisely tailored to the needs of the buyers.



DO YOU WANT TO WARM UP THE DECOR?
Wood will be great for this. Not only on the floor, but also on the door leaves. Wood-like veneers with a three-dimensional structure will enhance the feeling of coziness.

QUIERES CALENTAR LA DECORACIÓN?
La madera será genial para esto. No sólo en el suelo, sino también en las hojas de las puertas. Las chapas de madera con una estructura tridimensional realzarán la sensación de comodidad.



INTERIOR CLOSE TO NATURE.
Live plants, woven baskets and ecological decorations create a wonderful atmosphere. It will be complemented by wood structure framed door, which you can easily adapt to the colour scheme of your apartment.

INTERIOR CERCA DE LA NATURALEZA.
Plantas vivas, cestas tejidas y adornos ecológicos crean un ambiente maravilloso. Se complementará con una puerta con marco de estructura de madera, que podrás adaptar fácilmente a la combinación de colores de tu apartamento.

VENEER FRAMED DOORS

VENEER FRAMED DOORS



DOOR SPECIFICATION

- frame elements made of MDF board
- satin glass or HDF panel in the door leaf colour, thickness 4 mm
- Rebated door leaf:**
 - three silver screw-in hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
 - fixed and adjustable door frames for rebated doors

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
- Construction:**
 - door leaf 100'
 - sliding and passive door leaf

HU
EN

DOOR SPECIFICATION

- frame elements made of MDF board
- satin glass or HDF panel in the door leaf colour, thickness 4 mm
- Rebated door leaf:**
 - three silver screw-in hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
 - fixed and adjustable door frames for rebated doors

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
- Construction:**
 - door leaf 100'
 - sliding and passive door leaf



model 1 model 2 model 3



model 4 model 5 model 6

MODELLEK

MODELS

RÉSZLETEK

DETAILS



satin glass

satin glass

3D LOOK



HONEY CATANIA
HONEY CATANIA



GESSATO OAK
GESSATO OAK



CLEVELAND OAK
CLEVELAND OAK



COLOMBIA LIGHT
WALNUT
COLOMBIA LIGHT
WALNUT



CATANIA OAK
CATANIA OAK

IRIDIUM



GRAY MATT
GRAY MATT



MARONE OAK
MARONE OAK

CPL



NORWEGIAN ASH
NORWEGIAN ASH

MAGNETIC

veneER FRAMED DOORS REBATED
veneER FRAMED DOORS REBATED



DOOR SPECIFICATION

- frame elements made of MDF board
- satin glass or HDF panel in the door leaf colour, thickness 4 mm
- Rebated door leaf:**
 - three silver screw-in hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
 - fixed and adjustable door frames for rebated doors

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
- Construction:**
 - door leaf 100'
 - sliding and passive door leaf



model 1

model 2

model 3

model 4



model 5

model 6

model 7

model 8

MODELLEK

MODELS

RÉSZLETEK

DETAILS



satin glass

satin glass

HU
EN

DOOR SPECIFICATION

- frame elements made of MDF board
- satin glass or HDF panel in the door leaf colour, thickness 4 mm
- Rebated door leaf:**
 - three silver screw-in hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock


DEDICATED DOOR FRAMES

- Hard edge K:**
 - fixed and adjustable door frames for rebated doors

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
- Construction:**
 - door leaf 100'
 - sliding and passive door leaf

3D LOOK



HONEY CATANIA
HONEY CATANIA

GESSATO OAK
GESSATO OAK

CLEVELAND OAK
CLEVELAND OAK

RIVIERA OAK
RIVIERA OAK

WHITE ASH
WHITE ASH

COLOMBIA LIGHT
WALNUT
COLOMBIA LIGHT
WALNUT

OILED OAK
OILED OAK

GRAY OAK
GRAY OAK

3D LOOK




ANTHRACITE OAK
ANTHRACITE OAK




CATANIA OAK
CATANIA OAK

IRIDIUM



GRAPHITE ASH
GRAPHITE ASH



WHITE MATT
WHITE MATT



MARONE OAK
MARONE OAK





GRAY MATT
GRAY MATT

CPL



NORWEGIAN ASH
NORWEGIAN ASH




MODELLEK

MODELS

RÉSZLETEK

DETAILS



satin glass

satin glass

- frame elements made of MDF board
- satin glass or HDF panel in the door leaf colour, thickness 4 mm

Rebated door leaf:

- three silver screw-in hinges
- lock: mortice key lock / bathroom lock / cylinder lock / passage lock

- **Hard edge K:**
 - fixed and adjustable door frames for rebated doors

- **Ventilation:**
- ventilation undercut
- ventilation undercut 15 mm (recuperation)
- **Construction:**
- door leaf 100'
- sliding and passive door leaf



HONEY CATANIA
HONEY CATANIA



GESSATO OAK
GESSATO OAK



CLEVELAND OAK
CLEVELAND OAK



RIVIERA OAK
RIVIERA OAK



WHITE ASH
WHITE ASH



COLOMBIA LIGHT
WALNUT
COLOMBIA LIGHT
WALNUT



OILED OAK
OILED OAK



GRAY OAK
GRAY OAK



ANTHRACITE OAK
ANTHRACITE OAK



CATANIA OAK
CATANIA OAK



GRAPHITE ASH
GRAPHITE ASH



WHITE MATT
WHITE MATT



MARONE OAK
MARONE OAK

GRAY MATT
GRAY MATT



NORWEGIAN ASH
NORWEGIAN ASH

HU
EN

- frame elements made of MDF board
- satin glass or HDF panel in the door leaf colour, thickness 4 mm

Rebated door leaf:

- three silver screw-in hinges
- lock: mortice key lock / bathroom lock / cylinder lock / passage lock

- **Hard edge K:**
fixed and adjustable door frames for rebated doors

Ventilation:

- ventilation undercut
- ventilation undercut 15 mm (recuperation)

Construction:

- door leaf 100'
- sliding and passive door leaf

TRAFFIC

VENEER FRAMED DOORS REBATED
 VENEER FRAMED DOORS REBATED



DOOR SPECIFICATION

- frame elements made of MDF board
 - satin glass or HDF panel in the door leaf colour, thickness 4 mm
- Rebated door leaf:**
- three silver screw-in hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
- fixed and adjustable door frames for rebated doors

EXTRA-COST OPTIONS

- Ventilation:**
- ventilation undercut
 - ventilation undercut 15 mm (recuperation)
- Construction:**
- door leaf 100'
 - sliding and passive door leaf

HU
 EN

DOOR SPECIFICATION

- frame elements made of MDF board
 - satin glass or HDF panel in the door leaf colour, thickness 4 mm
- Rebated door leaf:**
- three silver screw-in hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
- fixed and adjustable door frames for rebated doors

EXTRA-COST OPTIONS

- Ventilation:**
- ventilation undercut
 - ventilation undercut 15 mm (recuperation)
- Construction:**
- door leaf 100'
 - sliding and passive door leaf



model 1
 model 2
 model 3
 model 4
 model 5
 model 6
 model 7
 model 8

MODELLEK

MODELS

RÉSZLETEK

DETAILS



satin glass

satin glass

3D LOOK



RIVIERA OAK
 RIVIERA OAK
 WHITE ASH
 WHITE ASH
 COLOMBIA LIGHT WALNUT
 COLOMBIA LIGHT WALNUT
 OILED OAK
 OILED OAK
 GRAY OAK
 GRAY OAK

3D LOOK



SONOMA OAK
 SONOMA OAK
 ANTHRACITE OAK
 ANTHRACITE OAK

IRIDIUM



GRAPHITE ASH
 GRAPHITE ASH


CPL



WHITE MATT
 GRAY MATT
 NORWEGIAN ASH
 NORWEGIAN ASH

HAVANA

veneER FRAMED DOORS REBATED
veneER FRAMED DOORS REBATED



DOOR SPECIFICATION

- frame elements made of MDF board
- satin glass or HDF panel in the door leaf colour, thickness 4 mm
- Rebated door leaf:**
 - three silver screw-in hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
 - fixed and adjustable door frames for rebated doors

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
- Construction:**
 - door leaf 100'
 - sliding and passive door leaf

HU
EN

DOOR SPECIFICATION

- frame elements made of MDF board
- satin glass or HDF panel in the door leaf colour, thickness 4 mm
- Rebated door leaf:**
 - three silver screw-in hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
 - fixed and adjustable door frames for rebated doors

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
- Construction:**
 - door leaf 100'
 - sliding and passive door leaf



model 1 model 2 model 3 model 4



model 5 model 6 model 7

MODELLEK

MODELS

RÉSZLETEK

DETAILS



satin glass

satin glass

3D LOOK



RIVIERA OAK
RIVIERA OAK

WHITE ASH
WHITE ASH

COLOMBIA LIGHT
WALNUT
COLOMBIA LIGHT
WALNUT

OILED OAK
OILED OAK

GRAY OAK
GRAY OAK

3D LOOK



SONOMA OAK
SONOMA OAK

ANTHRACITE OAK
ANTHRACITE OAK

IRIDIUM



GRAPHITE ASH
GRAPHITE ASH

CPL



WHITE MATT
GRAY MATT

NORWEGIAN ASH
NORWEGIAN ASH



model 1
model 2
model 3 (with a mirror on one side)
model 4



Door leaf cross-section
Door leaf cross-section

MODELLEK

MODELS

RÉSZLETEK

DETAILS




milky-white toughened safety glass

milky-white toughened safety glass



mirror

mirror



DOOR SPECIFICATION

- frame elements: peripheral frame made of softwood, chipboard core
- milky-white toughened safety glass or a board with the thickness of 17 mm
- model 3 with a mirror, on inner or outer side
- Rebated door leaf:**
 - three silver screw-in hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- Non-rebated door leaf:**
 - two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
 - fixed and adjustable door frames for rebated doors
- Hard edge B:**
 - adjustable non-rebated door frame

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
- Construction:**
 - non-rebated door leaf
 - door leaf 100'
 - sliding door leaf

IRIDIUM



GRAPHITE ASH
GRAPHITE ASH

CPL



ITALIAN WALNUT
ITALIAN WALNUT



LIGHT ACACIA
LIGHT ACACIA



NORWEGIAN ASH
NORWEGIAN ASH



GRIGIO OAK
GRIGIO OAK



KENDAL OAK
KENDAL OAK

DOOR SPECIFICATION

- frame elements: peripheral frame made of softwood, chipboard core
- milky-white toughened safety glass or a board with the thickness of 17 mm
- model 3 with a mirror, on inner or outer side
- Rebated door leaf:**
 - three silver screw-in hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- Non-rebated door leaf:**
 - two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge K:**
 - fixed and adjustable door frames for rebated doors
- Hard edge B:**
 - adjustable non-rebated door frame

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
- Construction:**
 - non-rebated door leaf
 - door leaf 100'
 - sliding door leaf



veneer panel doors
 veneer panel doors

veneer panel doors veneer panel doors

Universal and thus guaranteeing versatile use. They are perfect for every room - from the kitchen and living room to the bathroom. Thanks to them it is possible to create a coherent design of the entire apartment or house. The veneers covering the door leaves are durable and scratch resistant. Their advantage is also the variety of designs that fit into current trends and beautifully imitate the wood texture. You can find there not only classic beige and brown, but also shades of white, gray or anthracite. This rich palette of decors allows you to easily adapt them to any style of arrangement.

Universal and thus guaranteeing versatile use. They are perfect for every room - from the kitchen and living room to the bathroom. Thanks to them it is possible to create a coherent design of the entire apartment or house. The veneers covering the door leaves are durable and scratch resistant. Their advantage is also the variety of designs that fit into current trends and beautifully imitate the wood texture. You can find there not only classic beige and brown, but also shades of white, gray or anthracite. This rich palette of decors allows you to easily adapt them to any style of arrangement.



A SCANDINAVIAN INTERIOR WITH A TOUCH OF BOHO.
An interesting combination for those, who are looking for a way to break the simplicity of Scandinavian style. It is worth complementing the arrangement by using a door with white veneer, imitating wood texture.

*A SCANDINAVIAN INTERIOR WITH A TOUCH OF BOHO.
An interesting combination for those, who are looking for a way to break the simplicity of Scandinavian style. It is worth complementing the arrangement by using a door with white veneer, imitating wood texture.*

CLASSIC DECOR DOESN'T HAVE TO BE BORING.
Are you looking for timeless yet distinctive doors? Choose the door leaves with veneered surface. You can choose from many different colours. You will surely find the one that will create a coherent composition together with other elements of the decor.

*CLASSIC DECOR DOESN'T HAVE TO BE BORING.
Are you looking for timeless yet distinctive doors? Choose the door leaves with veneered surface. You can choose from many different colours. You will surely find the one that will create a coherent composition together with other elements of the decor.*



MODUL

NEW!

VENER PANEL DOORS REBATED AND NON-REBATED
VENER PANEL DOORS REBATED AND NON-REBATED



DOOR SPECIFICATION

- peripheral frame made of softwood
- application: MDF insert with a thickness of 31 mm in three widths: 40 mm, 80 mm, 154 mm

Rebated door leaf:

- three silver screw-in pintle hinges
- lock: mortice key lock / bathroom lock / cylinder lock / passage lock¹

Non-rebated door leaf:²

- two openings for 3D hidden hinges
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- ABS edging as standard, for UNI White and UNI Black decors

DURABLE EDGING

DEDICATED DOOR FRAMES

Hard edge K:

- adjustable door frames
- fixed door frames (except Hamilton Oak decor)

Hard edge B:

- non-rebated adjustable door frame

EXTRA-COST OPTIONS

Ventilation:

- ventilation undercut
- ventilation undercut 15 mm (recuperation)

Construction:

- door leaf 100'
- non-rebated door leaf
- sliding and passive door leaf

¹ For the Uni Black decor, black locks.

For the Uni Black decor, black locks.

² For the Uni Black decor, black hinges and locks. Black hinges only in a set with a door frame in Uni Black.

For the Uni Black decor, black hinges and locks. Black hinges only in a set with a door frame in Uni Black.

³ Hamilton Oak decor available only with an adjustable door frame.

Hamilton Oak decor available only with an adjustable door frame.



model 1c

model 2c

model 3c



model 1h

model 2h

model 3h

model 1h

model 2h


model 3h

MODELLEK

MODELS

RÉSZLETEK

DETAILS



veneered insert
h - Hamilton Oak

veneered insert
h - Hamilton Oak



veneered insert
b - UNI White

veneered insert
b - UNI White



veneered insert
c - UNI Black

veneered insert
c - UNI Black

IRIDIUM



UNI WHITE
UNI WHITE



UNI BLACK
UNI BLACK



HAMILTON OAK³
HAMILTON OAK³

EXPLANATION OF MODEL DESCRIPTIONS

b – Uni White insert
c – Uni Black insert
h – Hamilton Oak insert

EXPLANATION OF MODEL DESCRIPTIONS

b – Uni White insert
c – Uni Black insert
h – Hamilton Oak insert

HU
EN

DOOR SPECIFICATION

- peripheral frame made of softwood
- application: MDF insert with a thickness of 31 mm in three widths: 40 mm, 80 mm, 154 mm

Rebated door leaf:

- three silver screw-in pintle hinges
- lock: mortice key lock / bathroom lock / cylinder lock / passage lock¹

Non-rebated door leaf:²

- two openings for 3D hidden hinges
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- ABS edging as standard, for UNI White and UNI Black decors

DURABLE EDGING

DEDICATED DOOR FRAMES

Hard edge K:

- adjustable door frames
- fixed door frames (except Hamilton Oak decor)

Hard edge B:

- non-rebated adjustable door frame


EXTRA-COST OPTIONS

Ventilation:


- ventilation undercut
- ventilation undercut 15 mm (recuperation)

Construction:

- door leaf 100'
- non-rebated door leaf
- sliding and passive door leaf



model 1 model 2 model 3



model 4 model 5 model 6

MODELLEK

MODELS

RÉSZLETEK

DETAILS



gold aluminum profile,
8 mm

gold aluminum profile,
8 mm

DOOR SPECIFICATION

- reinforced peripheral frame made of MDF
- application: gold aluminum profile, width: 8 mm, aligned with a door leaf surface
- Rebated door leaf:**
 - three silver screw-in pintle hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock ¹
- Non-rebated door leaf:** ²
 - two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock
 - ABS edging as standard DURABLE EDGING

DEDICATED DOOR FRAMES

- Hard edge K:**
 - fixed and adjustable door frames
- Hard edge B:**
 - non-rebated adjustable door frame

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
- Construction:**
 - door leaf 100'
 - non-rebated door leaf
 - sliding and passive door leaf

- ¹ | For the Uni Black decor, black locks.
For the Uni Black decor, black locks.
- ² | For the Uni Black decor, black hinges and locks. Black hinges only in a set with a door frame in Uni Black.
For the Uni Black decor, black hinges and locks. Black hinges only in a set with a door frame in Uni Black.

IRIDIUM



UNI BLACK
UNI BLACK

HU
EN

DOOR SPECIFICATION

- reinforced peripheral frame made of MDF
- application: gold aluminum profile, width: 8 mm, aligned with a door leaf surface
- Rebated door leaf:**
 - three silver screw-in pintle hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock ¹
- Non-rebated door leaf:** ²
 - two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock
 - ABS edging as standard DURABLE EDGING

DEDICATED DOOR FRAMES

- Hard edge K:**
 - fixed and adjustable door frames
- Hard edge B:**
 - non-rebated adjustable door frame

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
- Construction:**
 - door leaf 100'
 - non-rebated door leaf
 - sliding and passive door leaf



DOOR SPECIFICATION

- reinforced peripheral frame made of MDF
- application: gold or black aluminum profile, width: 8 mm, aligned with a door leaf surface

Rebated door leaf:

- three silver screw-in pintle hinges
- lock: mortice key lock / bathroom lock / cylinder lock / passage lock

Non-rebated door leaf:

- two openings for 3D hidden hinges
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- ABS edging as standard DURABLE EDGING

DEDICATED DOOR FRAMES

Hard edge K:

- fixed and adjustable door frames

Hard edge B:

- non-rebated adjustable door frame

EXTRA-COST OPTIONS

Ventilation:

- ventilation undercut
- ventilation undercut 15 mm (recuperation)

Construction:

- door leaf 100'
- non-rebated door leaf
- sliding and passive door leaf

HU
EN

DOOR SPECIFICATION

- reinforced peripheral frame made of MDF
- application: gold or black aluminum profile, width: 8 mm, aligned with a door leaf surface

Rebated door leaf:

- three silver screw-in pintle hinges
- lock: mortice key lock / bathroom lock / cylinder lock / passage lock

Non-rebated door leaf:

- two openings for 3D hidden hinges
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- ABS edging as standard DURABLE EDGING

DEDICATED DOOR FRAMES

Hard edge K:

- fixed and adjustable door frames

Hard edge B:

- non-rebated adjustable door frame

EXTRA-COST OPTIONS

Ventilation:

- ventilation undercut
- ventilation undercut 15 mm (recuperation)

Construction:


- door leaf 100'
- non-rebated door leaf
- sliding and passive door leaf



model 1z

model 2z

model 3z



model 4c

model 5c

model 6c

MODELLEK

MODELS

RÉSZLETEK

DETAILS



gold aluminum - z
profile, 8 mm


gold aluminum - z
profile, 8 mm



black aluminum - c
profile, 8 mm

black aluminum - c
profile, 8 mm

IRIDIUM



UNI WHITE
UNI WHITE

EXPLANATION OF MODEL DESCRIPTIONS

z – gold aluminum profile
c – black aluminum profile

EXPLANATION OF MODEL DESCRIPTIONS

z – gold aluminum profile
c – black aluminum profile



DOOR SPECIFICATION

- reinforced peripheral frame made of MDF
- application: black aluminum profile, width: 8 mm, aligned with a door leaf surface
- models 1-3 available in decor with vertical graining
- models 4-6 available in decor with horizontal graining

Rebated door leaf:

- three silver screw-in pintle hinges
- lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DOOR SPECIFICATION

Non-rebated door leaf:

- two openings for 3D hidden hinges
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

Hard edge K:

- rebated adjustable door frame

Hard edge B:

- non-rebated adjustable door frame

EXTRA-COST OPTIONS

Ventilation:

- ventilation undercut
- ventilation undercut 15 mm (recuperation)

Construction:

- door leaf 100'
- non-rebated door leaf
- sliding and passive door leaf

DOOR SPECIFICATION

- reinforced peripheral frame made of MDF
- application: black aluminum profile, width: 8 mm, aligned with a door leaf surface
- models 1-3 available in decor with vertical graining
- models 4-6 available in decor with horizontal graining

Rebated door leaf:

- three silver screw-in pintle hinges
- lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DOOR SPECIFICATION

Non-rebated door leaf:

- two openings for 3D hidden hinges
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

Hard edge K:

- rebated adjustable door frame

Hard edge B:

- non-rebated adjustable door frame

EXTRA-COST OPTIONS

Ventilation:

- ventilation undercut
- ventilation undercut 15 mm (recuperation)

Construction:

- door leaf 100'
- non-rebated door leaf
- sliding and passive door leaf



model 1

model 2

model 3



model 4

model 5

model 6

MODELLEK

MODELS

RÉSZLETEK

DETAILS



black aluminum profile,
8 mm


black aluminum profile,
8 mm

CPL



HAMILTON OAK
VERTICAL

HAMILTON OAK
VERTICAL



HAMILTON OAK
HORIZONTAL

HAMILTON OAK
HORIZONTAL



DOOR SPECIFICATION

- Classen Hard construction
- milky-white toughened glass

Rebated door leaf:

- two silver screw-in pintle hinges ¹
- lock: mortice key lock / bathroom lock / cylinder lock / passage lock ²

Non-rebated door leaf: ³

- two openings for 3D hidden hinges
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- ABS edging as standard, for UNI White and UNI Black decors **DURABLE EDGING**

DEDICATED DOOR FRAMES

Hard edge K:

- adjustable door frames
- fixed door frames (except Hamilton Oak decor)

Hard edge B:

- non-rebated adjustable door frame

EXTRA-COST OPTIONS

Ventilation:

- ventilation undercut
- ventilation undercut 15 mm (recuperation)

Glazing:

- transparent glass

Construction:

- third hinge
- perforated chipboard
- non-rebated door leaf (HB)
- door leaf 100'
- sliding and passive door leaf

¹ | Door leaves 100' and reinforced door leaves regardless of the size – the set includes 3 hinges.
Door leaves 100' and reinforced door leaves regardless of the size – the set includes 3 hinges.

² | For the Uni Black decor, black locks.
For the Uni Black decor, black locks.

³ | For the Uni Black decor, black hinges and locks. Black hinges only in a set with a door frame in Uni Black.
For the Uni Black decor, black hinges and locks. Black hinges only in a set with a door frame in Uni Black.

⁴ | Hamilton Oak decor available only with an adjustable door frame.
Hamilton Oak decor available only with an adjustable door frame.



model 1 model 2 model 3



model 4 model 5 model 6

MODELLEK

MODELS

RÉSZLETEK

DETAILS



milky-white toughened glass


milky-white toughened glass



glazing frame

glazing frame

IRIDIUM



UNI WHITE
UNI WHITE



UNI BLACK
UNI BLACK



MARONE OAK
MARONE OAK



GRAY MATT
GRAY MATT

CPL



ACACIA LIGHT
ACACIA LIGHT



NORWEGIAN ASH
NORWEGIAN ASH



GRIGIO OAK
GRIGIO OAK



KENDAL OAK
KENDAL OAK



HAMILTON OAK ⁴
HAMILTON OAK ⁴

DOOR SPECIFICATION

- Classen Hard construction
- milky-white toughened glass

Rebated door leaf:

- two silver screw-in pintle hinges ¹
- lock: mortice key lock / bathroom lock / cylinder lock / passage lock ²

Non-rebated door leaf: ³

- two openings for 3D hidden hinges
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock
- ABS edging as standard, for UNI White and UNI Black decors **DURABLE EDGING**

DEDICATED DOOR FRAMES

Hard edge K:

- adjustable door frames
- fixed door frames (except Hamilton Oak decor)

Hard edge B:

- non-rebated adjustable door frame

EXTRA-COST OPTIONS

Ventilation:

- ventilation undercut
- ventilation undercut 15 mm (recuperation)



Glazing:

- transparent glass

Construction:

- third hinge
- perforated chipboard
- non-rebated door leaf (HB)
- door leaf 100'
- sliding and passive door leaf

VENEER PANEL DOORS REBATED AND NON-REBATED
VENEER PANEL DOORS REBATED AND NON-REBATED



- Ventilation:**
- ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - ventilation sleeves – PVC
 - ventilation sleeves – satin chrome steel
- Construction:**
- door leaf 100'
 - non-rebated door leaf
 - sliding and passive door leaf

- *peripheral frame made of softwood*
 - *opaque graphite painted glass*
- Rebated door leaf:**
- *three silver screw-in pintle hinges*
 - *lock: mortice key lock / bathroom lock / cylinder lock / passage lock*
- Non-rebated door leaf:**
- *two openings for 3D hidden hinges*
 - *magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock*

- Hard edge K:**
- adjustable door frames
 - fixed door frames
(except Hamilton Oak decor)
- Hard edge B:**
- adjustable non-rebated door frame

- Ventilation:**
- ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - ventilation sleeves – PVC
 - ventilation sleeves – satin chrome steel
- Construction:**
- door leaf 100'
 - non-rebated door leaf
 - sliding and passive door leaf

GRAPHITE ASH
GRAPHITE ASH

ITALIAN WALNUT
ITALIAN WALNUT

LIGHT ACACIA
LIGHT ACACIA

NORWEGIAN ASH
NORWEGIAN ASH

GRIGIO OAK
GRIGIO OAK

HAMILTON OAK
VERTICAL
HAMILTON OAK
VERTICAL

HAMILTON OAK
HORIZONTAL
HAMILTON OAK
HORIZONTAL

KENDAL OAK
KENDAL OAK

WHITE RAL 9003
WHITE RAL 9003

DISCOVERY

VENER PANEL DOORS REBATED AND NON-REBATED
VENER PANEL DOORS REBATED AND NON-REBATED



MODELLEK MODELS
RÉSZLETEK DETAILS



glazing frame



aluminum profile 8mm



milky-white toughened glass with transparent overprint

glazing frame

aluminum profile 8mm

milky-white toughened glass with transparent overprint

DOOR SPECIFICATION

- Hard Edge R door leaf edge profile for Iridium decors, peripheral frame made of softwood ¹
- Hard Edge PF door leaf edge profile for CPL decors, peripheral frame made of MDF board, reinforced ¹
- detail: aluminum profile, width: 8 mm, aligned with a door leaf surface
- milky-white toughened glass with transparent overprint

- Rebated door leaf:**
- three silver screw-in pintle hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock

Non-rebated door leaf:

- two openings for 3D hidden hinges
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

Hard edge PF/R:

- adjustable door frames
- fixed door frames (except Hamilton Oak decor)

Hard edge B:

- adjustable non-rebated door frame

EXTRA-COST OPTIONS

Ventilation:

- ventilation undercut
- ventilation undercut 15 mm (recuperation)
- ventilation sleeves – satin chrome steel

Construction:

- door leaf 100'
- non-rebated door leaf
- sliding and passive door leaf

- ¹ | Perforated chipboard core (models 4–11), Classen Hard construction (models 1–3).
Perforated chipboard core (models 4–11), Classen Hard construction (models 1–3).
- ² | Hard Edge PF door construction for CPL decors.
Hard Edge PF door construction for CPL decors.

HU
EN

DOOR SPECIFICATION

- Hard Edge R door leaf edge profile for Iridium decors, peripheral frame made of softwood ¹
- Hard Edge PF door leaf edge profile for CPL decors, peripheral frame made of MDF board, reinforced ¹
- detail: aluminum profile, width: 8 mm, aligned with a door leaf surface
- milky-white toughened glass with transparent overprint

- Rebated door leaf:**
- three silver screw-in pintle hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock

Non-rebated door leaf:

- two openings for 3D hidden hinges
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

Hard edge PF/R:

- adjustable door frames
- fixed door frames (except Hamilton Oak decor)

Hard edge B:

- adjustable non-rebated door frame

EXTRA-COST OPTIONS

Ventilation:

- ventilation undercut
- ventilation undercut 15 mm (recuperation)
- ventilation sleeves – satin chrome steel

Construction:

- door leaf 100'
- non-rebated door leaf
- sliding and passive door leaf

IRIDIUM



GRAPHITE ASH
GRAPHITE ASH

CPL ²



HAMILTON OAK
HORIZONTAL
HAMILTON OAK
HORIZONTAL



ITALIAN WALNUT
ITALIAN WALNUT



LIGHT ACACIA
LIGHT ACACIA


CPL ²



NORWEGIAN ASH
NORWEGIAN ASH



GRIGIO OAK
GRIGIO OAK



KENDAL OAK
KENDAL OAK



WHITE RAL 9003
WHITE RAL 9003



DOOR SPECIFICATION

- Hard Edge R door leaf edge profile for 3D Look and Iridium decors, Classen Hard construction / peripheral frame made of softwood
- Hard Edge PF door leaf edge profile for CPL decors, Classen Hard construction / peripheral frame made of MDF board, reinforced
- detail: aluminum profile, width: 6 mm
- safety toughened Estriado glass, brown satin, graphite satin
- Rebated door leaf:**
 - two silver screw-in pintle hinges ¹
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock

- Non-rebated door leaf:**
 - Classen Hard construction / peripheral frame made of softwood
 - two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge PF/R:**
 - fixed and adjustable door frames for rebated doors
- Hard edge B:**
 - adjustable non-rebated door frame

EXTRA-COST OPTIONS


- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - ventilation sleeves – PVC
- Construction:**
 - door leaf 100'
 - third hinge
 - reinforced with perforated chipboard ²
 - non-rebated door leaf
 - sliding and passive door leaf

- ¹ | Door leaves 100' and reinforced door leaves regardless of the size – the set includes 3 hinges.
Door leaves 100' and reinforced door leaves regardless of the size – the set includes 3 hinges.
- ² | No Hard reinforcement.
No Hard reinforcement.
- ³ | Non-rebated model is not available in marked decors.
Non-rebated model is not available in marked decors.
- ⁴ | Hard Edge PF door construction for CPL decors.
Hard Edge PF door construction for CPL decors.


3D LOOK ³



IRIDIUM



CPL ⁴



HU
EN

DOOR SPECIFICATION

- Hard Edge R door leaf edge profile for 3D Look and Iridium decors, Classen Hard construction / peripheral frame made of softwood
- Hard Edge PF door leaf edge profile for CPL decors, Classen Hard construction / peripheral frame made of MDF board, reinforced
- detail: aluminum profile, width: 6 mm
- safety toughened Estriado glass, brown satin, graphite satin
- Rebated door leaf:**
 - two silver screw-in pintle hinges ¹
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock

- Non-rebated door leaf:**
 - Classen Hard construction / peripheral frame made of softwood
 - two openings for 3D hidden hinges
 - magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES


- Hard edge PF/R:**
 - fixed and adjustable door frames for rebated doors
- Hard edge B:**
 - adjustable non-rebated door frame

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - ventilation sleeves – PVC
- Construction:**
 - door leaf 100'
 - third hinge
 - reinforced with perforated chipboard ²
 - non-rebated door leaf
 - sliding and passive door leaf

NATURA HR

VENER PANEL DOORS REBATED AND NON-REBATED
VENER PANEL DOORS REBATED AND NON-REBATED



DOOR SPECIFICATION

- Rebated door leaf:**
- Hard Edge R door leaf edge profile for 3D Look and Iridium decors, Classen Hard construction / peripheral frame made of softwood
 - Hard Edge PF door leaf edge profile for CPL decors, peripheral frame made of MDF board, reinforced, Classen Hard construction
 - two silver screw-in pintle hinges¹
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
 - milky-white toughened safety glass

DEDICATED DOOR FRAMES


- Hard edge R/PF:**
- adjustable door frames
 - fixed door frames (except Hamilton Oak decor)

EXTRA-COST OPTIONS


- Ventilation:**
- ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - PVC ventilation sleeves
- Glazing:**
- porthole 35 ml (model 1)
 - transparent glass (models 2–4)
- Construction:**
- third hinge
 - perforated chipboard²
 - solid chipboard²
 - door leaf 100'
 - sliding and passive door leaf

- ¹ Door leaves 100' and reinforced door leaves regardless of the size – the set includes 3 hinges.
Door leaves 100' and reinforced door leaves regardless of the size – the set includes 3 hinges.
- ² No Hard reinforcement.
No Hard reinforcement.
- ³ Hard Edge PF door construction for CPL decors.
Hard Edge PF door construction for CPL decors.
- ⁴ Decor available only for model 1.
Decor available only for model 1.
- ⁵ Decor is available while stocks last.
Decor is available while stocks last.

3D LOOK




3D LOOK



IRIDIUM



CPL³



Door leaf with porthole is not available in sliding version, more on page 102.

Door leaf with porthole is not available in sliding version, more on page 102.

MODELLEK

MODELS

RÉSZLETEK

DETAILS



milky-white toughened safety glass

milky-white toughened safety glass



glazing frame profile

glazing frame profile

HU
EN

DOOR SPECIFICATION

- Rebated door leaf:**
- Hard Edge R door leaf edge profile for 3D Look and Iridium decors, Classen Hard construction / peripheral frame made of softwood
 - Hard Edge PF door leaf edge profile for CPL decors, peripheral frame made of MDF board, reinforced, Classen Hard construction
 - two silver screw-in pintle hinges¹
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
 - milky-white toughened safety glass

DEDICATED DOOR FRAMES

- Hard edge R/PF:**
- adjustable door frames
 - fixed door frames (except Hamilton Oak decor)

EXTRA-COST OPTIONS

- Ventilation:**
- ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - PVC ventilation sleeves
- Glazing:**
- porthole 35 ml (model 1)
 - transparent glass (models 2–4)
- Construction:**
- third hinge
 - perforated chipboard²
 - solid chipboard²
 - door leaf 100'
 - sliding and passive door leaf

ANDROMEDA

VENER PANEL DOORS REBATED AND NON-REBATED
VENER PANEL DOORS REBATED AND NON-REBATED



MODELLEK

MODELS

RÉSZLETEK

DETAILS




milky-white toughened safety glass

milky-white toughened safety glass



OPTION / graphite satin glass

OPTION / graphite satin glass



ventilation undercut available for all models

ventilation undercut available for all models

DOOR SPECIFICATION

- peripheral frame made of softwood
- milky-white toughened safety glass

Rebated door leaf:

- three silver screw-in pintle hinges
- lock: mortice key lock / bathroom lock / cylinder lock / passage lock

Non-rebated door leaf:

- two openings for 3D hidden hinges
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

Hard edge R:

- adjustable door frames for rebated doors
- fixed door frames (except Hamilton Oak decor)

Hard edge B:

- adjustable non-rebated door frame

EXTRA-COST OPTIONS

Ventilation:

- ventilation undercut

Glazing:

- safety glass, graphite satin

Construction:

- door leaf 100'
- non-rebated door leaf

HU

EN

DOOR SPECIFICATION

- peripheral frame made of softwood
- milky-white toughened safety glass

Rebated door leaf:

- three silver screw-in pintle hinges
- lock: mortice key lock / bathroom lock / cylinder lock / passage lock

Non-rebated door leaf:

- two openings for 3D hidden hinges
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

Hard edge R:

- adjustable door frames for rebated doors
- fixed door frames (except Hamilton Oak decor)

Hard edge B:

- adjustable non-rebated door frame

EXTRA-COST OPTIONS

Ventilation:

- ventilation undercut

Glazing:

- safety glass, graphite satin

Construction:

- door leaf 100'
- non-rebated door leaf

IRIDIUM



GRAPHITE ASH
GRAPHITE ASH



MARONE OAK
MARONE OAK



HAMILTON OAK
VERTICAL
HAMILTON OAK
VERTICAL



ITALIAN WALNUT
ITALIAN WALNUT



LIGHT ACACIA
LIGHT ACACIA

CPL




NORWEGIAN ASH
NORWEGIAN ASH



GRIGIO OAK
GRIGIO OAK



KENDAL OAK
KENDAL OAK



WHITE RAL 9003
WHITE RAL 9003

DEMETER

VENEER PANEL DOORS REBATED AND NON-REBATED
VENEER PANEL DOORS REBATED AND NON-REBATED



DOOR SPECIFICATION

- Hard Edge R door leaf edge profile for 3D Look and Iridium decors, Classen Hard construction / peripheral frame made of softwood
- Hard Edge PF door leaf edge profile for CPL decors, Classen Hard construction / peripheral frame made of MDF board, reinforced
- milky-white toughened safety glass
- Rebated door leaf:**
 - two silver screw-in pintle hinges¹
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
 - NOTE** – single leaf
 - 60–100' (models 1 and 4)
 - 70'–100' (models 2, 3, 5)

DEDICATED DOOR FRAMES

- Hard edge PF/R:**
 - adjustable door frames
 - fixed door frames (except Hamilton Oak decor)

EXTRA-COST OPTIONS


- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - PVC ventilation sleeves
- Construction:**
 - door leaf 100'
 - third hinge
 - reinforced with perforated chipboard²
 - sliding and passive door leaf

- ¹ Door leaves 100' and reinforced door leaves regardless of the size – the set includes 3 hinges.
Door leaves 100' and reinforced door leaves regardless of the size – the set includes 3 hinges.
- ² No Hard reinforcement.
No Hard reinforcement.
- ³ Hard Edge PF door construction for CPL decors.
Hard Edge PF door construction for CPL decors.
- ⁴ Decor is available while stocks last.
Decor is available while stocks last.

3D LOOK



HONEY CATANIA
HONEY CATANIA



GESSATO OAK
GESSATO OAK



CLEVELAND OAK
CLEVELAND OAK



SONOMA OAK
SONOMA OAK



OILED OAK
OILED OAK

3D LOOK



GRAY OAK
GRAY OAK



CATANIA OAK
CATANIA OAK



RIVIERA OAK
RIVIERA OAK



COLOMBIA LIGHT
WALNUT
COLOMBIA LIGHT
WALNUT



WHITE ASH
WHITE ASH

IRIDIUM



GRAPHITE ASH
GRAPHITE ASH



SNOW ASH⁴
SNOW ASH⁴



MARONE OAK
MARONE OAK



GRAY MATT
GRAY MATT



NORWEGIAN ASH
NORWEGIAN ASH

CPL³



HAMILTON OAK
VERTICAL
HAMILTON OAK
VERTICAL



GRIGIO OAK
GRIGIO OAK



KENDAL OAK
KENDAL OAK



ITALIAN WALNUT
ITALIAN WALNUT



LIGHT ACACIA
LIGHT ACACIA

HU
EN

DOOR SPECIFICATION

- Hard Edge R door leaf edge profile for 3D Look and Iridium decors, Classen Hard construction / peripheral frame made of softwood
- Hard Edge PF door leaf edge profile for CPL decors, Classen Hard construction / peripheral frame made of MDF board, reinforced
- milky-white toughened safety glass
- Rebated door leaf:**
 - two silver screw-in pintle hinges¹
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock
 - NOTE** – single leaf
 - 60–100' (models 1 and 4)
 - 70'–100' (models 2, 3, 5)

DEDICATED DOOR FRAMES

- Hard edge PF/R:**
 - adjustable door frames
 - fixed door frames (except Hamilton Oak decor)

EXTRA-COST OPTIONS

- Ventilation:**
 - ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - PVC ventilation sleeves
- Construction:**
 - door leaf 100'
 - third hinge
 - reinforced with perforated chipboard²
 - sliding and passive door leaf

ARENA

VENER PANEL DOORS REBATED AND NON-REBATED
VENER PANEL DOORS REBATED AND NON-REBATED



DOOR SPECIFICATION

- peripheral frame made of softwood
 - satin glass
- Rebated door leaf:**
- three silver screw-in pintle hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge R:**
- fixed and adjustable door frames for rebated doors

EXTRA-COST OPTIONS

- Ventilation:**
- ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - PVC ventilation sleeves
- Glazing:**
- satin glass, brown or graphite ²
- Construction:**
- door leaf 100'
 - sliding and passive door leaf

- ¹ | For model 4 Classen Hard construction.
For model 4 Classen Hard construction.
- ² | Extended delivery time.
Extended delivery time.



model 1 model 2 model 3 model 4 ¹



model 5 model 6 model 7

MODELLEK

MODELS

RÉSZLETEK

DETAILS



satin glass

milky-white toughened safety glass



OPTION / brown satin glass

OPTION / brown satin glass



OPTION / graphite satin glass

OPTION / graphite satin glass



glazing frame

glazing frame

3D LOOK



WHITE ASH
WHITE ASH

IRIDIUM



MARONE OAK
MARONE OAK

CPL



ITALIAN WALNUT
ITALIAN WALNUT



NORWEGIAN ASH
NORWEGIAN ASH

HU
EN

DOOR SPECIFICATION

- peripheral frame made of softwood
 - satin glass
- Rebated door leaf:**
- three silver screw-in pintle hinges
 - lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

- Hard edge R:**
- fixed and adjustable door frames for rebated doors

EXTRA-COST OPTIONS

- Ventilation:**
- ventilation undercut
 - ventilation undercut 15 mm (recuperation)
 - PVC ventilation sleeves
- Glazing:**
- satin glass, brown or graphite ²
- Construction:**
- door leaf 100'
 - sliding and passive door leaf

SIDE PANEL

SIDE PANEL

PASSIVE DOOR LEAF
PASSIVE DOOR LEAF



PASSIVE DOOR LEAF
PASSIVE DOOR LEAF

A passive door leaf, commonly known as a "side panel", is used to widen the clear opening in places where there is no need or physical possibility to install full width double leaf doors.

The active leaf is used on a daily basis, while the passive leaf remains closed. If necessary, the passive part can be quickly opened and a wider door opening can be used.

It is a very simple and useful solution that increases the functionality of your door.

A passive door leaf, commonly known as a "side panel", is used to widen the clear opening in places where there is no need or physical possibility to install full width double leaf doors.

The active leaf is used on a daily basis, while the passive leaf remains closed. If necessary, the passive part can be quickly opened and a wider door opening can be used.

It is a very simple and useful solution that increases the functionality of your door.

DOOR SPECIFICATION

- veneer passive door leaf
- construction: peripheral frame made of MDF board
- two or three silver hinges
- adjustable strike plate and shootbolt
- available only as full version without glazing

EXTRA-COST OPTIONS


- Construction:**
- third hinge
 - reinforced with perforated chipboard
 - falling threshold

DOOR SPECIFICATION

- veneer passive door leaf
- construction: peripheral frame made of MDF board
- two or three silver hinges
- adjustable strike plate and shootbolt
- available only as full version without glazing

EXTRA-COST OPTIONS

- Construction:**
- third hinge
 - reinforced with perforated chipboard
 - falling threshold



Find a door

PERFECTLY

tailored to your needs
on our website.

www.classen.pl



TECHNICAL PANEL DOORS

TECHNICAL PANEL DOORS

These are the doors for special tasks, and their high quality is confirmed by numerous certificates and approvals. Depending on the selected collection, they will perform different functions accordingly: they will ensure good sound insulation, fire protection or will constitute an additional protection against burglary. Moreover, their high functionality goes hand in hand with aesthetics – hence it is the ideal solution for public utility buildings, offices, hotels and restaurants.

These are the doors for special tasks, and their high quality is confirmed by numerous certificates and approvals. Depending on the selected collection, they will perform different functions accordingly: they will ensure good sound insulation, fire protection or will constitute an additional protection against burglary. Moreover, their high functionality goes hand in hand with aesthetics – hence it is the ideal solution for public utility buildings, offices, hotels and restaurants.



FUNCTIONALITY OR APPEARANCE?
You do not have to choose.
No more compromises. Our technical doors have it all – excellent functional qualities and aesthetically pleasing design.

FUNCTIONALITY OR APPEARANCE?
You do not have to choose.
No more compromises. Our technical doors have it all – excellent functional qualities and aesthetically pleasing design.

FOR OFFICES, HOTELS AND RESTAURANTS.
Wherever high quality, good technical parameters and solid workmanship are important.

FOR OFFICES, HOTELS AND RESTAURANTS.
Wherever high quality, good technical parameters and solid workmanship are important.




TECHNICAL PANEL DOORS
TECHNICAL PANEL DOORS

NATURA HK CPL / HB CPL




MODELS

DETAILS



milky-white toughened safety glass

milky-white toughened safety glass



glazing frame

glazing frame

DOOR SPECIFICATION

- Classen Hard construction (does not apply to PN22 and PN23 versions)
- wide peripheral frame for PN22 and PN23 versions
- milky-white toughened safety glass
- possibility of shortening the leaf by 40 mm

Rebated door leaf (HK):

- two silver screwed pintle hinges ¹
- mortice key lock, bathroom lock, cylinder lock, passage lock

Non-rebated door leaf (HB):

- two openings for hinges for non-rebated door
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

HK:

- Standard 2 pack fixed door frame (except Hamilton Oak and Cashmere decors)
- adjustable door frame

HB:

- adjustable non-rebated door frame

EXTRA-COST OPTIONS

Ventilation:

- ventilation undercut
- ventilation undercut 15 mm (recuperation)
- PVC ventilation grille
- ventilation grille, aluminum
- steel kick-plate with ventilation grille

EXTRA-COST OPTIONS

Glazing:

- porthole 35 tr – transparent glass
- porthole 35 ml – milky-white glass
- transparent glass for the following models: 2, 3, 4, 5

Construction:

- third hinge
- perforated chipboard ²
- solid chipboard ³
- non-rebated door leaf (HB)
- door leaf 100', 110', 120'
- door leaf model PN22
- door leaf model PN23
- sliding and passive door leaf

Accessories:

- solid steel push-plate – one-sided
- solid steel push-plate – two-sided
- solid steel kick-plate – one-sided
- solid steel kick-plate – two-sided
- falling threshold

- ¹ | Door leaves 100' and reinforced door leaves regardless of the size – 3 hinges. *Door leaves 100' and reinforced door leaves regardless of the size – 3 hinges.*

- ² | Maximum leaf width 110, without Hard reinforcement. *Maximum leaf width 110, without Hard reinforcement.*

- ³ | Maximum leaf width 100, without Hard reinforcement. *Maximum leaf width 100, without Hard reinforcement.*


- ⁴ | Models PN22 and PN23 available only as 1-leaf, width 60'-100'. They are not available in a non-rebated version and are not available with the following frames: Adjustable 80, Standard 2-pack fixed and steel door frame.

Models PN22 and PN23 available only as 1-leaf, width 60'-100'. They are not available in a non-rebated version and are not available with the following frames: Adjustable 80, Standard 2-pack fixed and steel door frame.

IRIDIUM



MARONE OAK
MARONE OAK



UNI BLACK
UNI BLACK

CPL



CASHMERE
CASHMERE



HAMILTON OAK
VERTICAL
HAMILTON OAK
VERTICAL



HAMILTON OAK
HORIZONTAL
HAMILTON OAK
HORIZONTAL



ITALIAN WALNUT
ITALIAN WALNUT

CPL



LIGHT ACACIA
LIGHT ACACIA



NORWEGIAN ASH
NORWEGIAN ASH



GRIGIO OAK
GRIGIO OAK



KENDAL OAK
KENDAL OAK



WHITE RAL 9003
WHITE RAL 9003

HU
EN

DOOR SPECIFICATION

- Classen Hard construction (does not apply to PN22 and PN23 versions)
- wide peripheral frame for PN22 and PN23 versions
- milky-white toughened safety glass
- possibility of shortening the leaf by 40 mm

Rebated door leaf (HK):

- two silver screwed pintle hinges ¹
- mortice key lock, bathroom lock, cylinder lock, passage lock

Non-rebated door leaf (HB):

- two openings for hinges for non-rebated door
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

HK:

- Standard 2 pack fixed door frame (except Hamilton Oak and Cashmere decors)
- adjustable door frame

HB:

- adjustable non-rebated door frame

EXTRA-COST OPTIONS

Ventilation:

- ventilation undercut
- ventilation undercut 15 mm (recuperation)
- PVC ventilation grille
- ventilation grille, aluminum
- steel kick-plate with ventilation grille

EXTRA-COST OPTIONS

Glazing:


- porthole 35 tr – transparent glass
- porthole 35 ml – milky-white glass
- transparent glass for the following models: 2, 3, 4, 5

Construction:


- third hinge
- perforated chipboard ²
- solid chipboard ³
- non-rebated door leaf (HB)
- door leaf 100', 110', 120'
- door leaf model PN22
- door leaf model PN23
- sliding and passive door leaf

Accessories:


- solid steel push-plate – one-sided
- solid steel push-plate – two-sided
- solid steel kick-plate – one-sided
- solid steel kick-plate – two-sided
- falling threshold




Dimensions of door frame for PN22 door.
Dimensions of door frame for PN22 door.



Dimensions of door frame for PN23 door.
Dimensions of door frame for PN23 door.



NATURA HK HPL / HB HPL



MODELS

DETAILS



milky-white toughened
safety glass



glazing frame

DOOR SPECIFICATION

- Classen Hard construction
- milky-white toughened safety glass
- possibility of shortening the leaf by 40 mm

Rebated door leaf (HK):

- two silver screw-in pintle hinges ¹
- lock: mortice key lock / bathroom lock / cylinder lock / passage lock

Non-rebated door leaf (HB):

- two openings for hinges for non-rebated door
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

HK:

- Standard 2 pack fixed door frame
- adjustable door frame

HB:

- adjustable non-rebated door frame

EXTRA-COST OPTIONS

Ventilation:

- ventilation undercut
- ventilation undercut 15 mm (recuperation)
- PVC ventilation grille
- ventilation grille, aluminum
- steel kick-plate with ventilation grille

Glazing:

- porthole 35 tr – transparent glass
- porthole 35 ml – milky-white glass
- transparent glass for the following models: 2, 3, 4, 5

EXTRA-COST OPTIONS

Construction:

- third hinge
- perforated chipboard ²
- solid chipboard ³
- non-rebated door leaf (HB)
- door leaf 100', 110', 120'
- sliding and passive door leaf

Accessories:

- solid steel push-plate – one-sided
- solid steel push-plate – two-sided
- solid steel kick-plate – one-sided
- solid steel kick-plate – two-sided
- falling threshold

ADDITIONAL INFORMATION

- other HPL decors (page 116) available upon individual enquiries: inwestycje@classen.com.pl
- decors not included in the standard offer are available with a rebate in brushed aluminum colour

¹ | Door leaves 100' and reinforced door leaves regardless of the size – 3 hinges.

Door leaves 100' and reinforced door leaves regardless of the size – 3 hinges.

² | Maximum leaf width 110, without Hard reinforcement. *Maximum leaf width 110, without Hard reinforcement.*

³ | Maximum leaf width 100, without Hard reinforcement. *Maximum leaf width 100, without Hard reinforcement.*

HPL



WHITE RAL 9003
WHITE RAL 9003

HU
EN

DOOR SPECIFICATION

- Classen Hard construction
- milky-white toughened safety glass
- possibility of shortening the leaf by 40 mm

Rebated door leaf (HK):

- two silver screw-in pintle hinges ¹
- lock: mortice key lock / bathroom lock / cylinder lock / passage lock

Non-rebated door leaf (HB):

- two openings for hinges for non-rebated door
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

DEDICATED DOOR FRAMES

HK:

- Standard 2 pack fixed door frame
- adjustable door frame

HB:

- adjustable non-rebated door frame

EXTRA-COST OPTIONS

Ventilation:

- ventilation undercut
- ventilation undercut 15 mm (recuperation)
- PVC ventilation grille
- ventilation grille, aluminum
- steel kick-plate with ventilation grille

Glazing:

- porthole 35 tr – transparent glass
- porthole 35 ml – milky-white glass
- transparent glass for the following models: 2, 3, 4, 5

EXTRA-COST OPTIONS

Construction:

- third hinge
- perforated chipboard ²
- solid chipboard ³
- non-rebated door leaf (HB)
- door leaf 100', 110', 120'
- sliding and passive door leaf

Accessories:

- solid steel push-plate – one-sided
- solid steel push-plate – two-sided
- solid steel kick-plate – one-sided
- solid steel kick-plate – two-sided
- falling threshold

ADDITIONAL INFORMATION

- other HPL decors (page 116) available upon individual enquiries: inwestycje@classen.com.pl
- decors not included in the standard offer are available with a rebate in brushed aluminum colour



DOORS ALIGNED WITH THE WALL

DOORS ALIGNED WITH THE WALL

DOORS ALIGNED WITH THE WALL

No frames, this is the perfect choice for those looking for original solutions. Hidden door jamb and hinges, and a door leaf make this door perfectly blend with the wall. Thanks to this your room will turn into a mysterious casket, where the presence of the door can only be revealed by a discreet outline of the handle.

Or maybe you want to experiment in a completely different style? A way to create an original entrance to the room are sliding doors. They ensure comfortable use and freedom of movement. They are perfect for small spaces, where using traditional doors is a really hard task. They also do a great job on a larger surface, catching the eye and giving the interior a modern, dynamic character.

No frames, this is the perfect choice for those looking for original solutions. Hidden door jamb and hinges, and a door leaf make this door perfectly blend with the wall. Thanks to this your room will turn into a mysterious casket, where the presence of the door can only be revealed by a discreet outline of the handle.



Or maybe you want to experiment in a completely different style? A way to create an original entrance to the room are sliding doors. They ensure comfortable use and freedom of movement. They are perfect for small spaces, where using traditional doors is a really hard task. They also do a great job on a larger surface, catching the eye and giving the interior a modern, dynamic character.




DOORS ALIGNED WITH THE WALL

DOORS ALIGNED WITH THE WALL

COMPACT

DOORS ALIGNED WITH THE WALL
DOORS ALIGNED WITH THE WALL



The Compact system consists of interior door leaf, veneered or for self-finishing and an aluminum door jamb. After installation, the entire system forms a uniform surface with the wall.

The Compact system consists of interior door leaf, veneered or for self-finishing and an aluminum door jamb. After installation, the entire system forms a uniform surface with the wall.



DOOR SPECIFICATION

- panel door leaf, solid, thickness: 40 mm
- external door leaf - non-rebated, opening outwards (height 2022 mm)
- internal door leaf - rebated, opening inwards (height 2032 mm)
- surface finishing: primer (surface prepared for self-finishing - painting ¹), 3D Look and Iridium veneers, CPL and HPL laminates
- two openings for hidden hinges, adjustable (3 hinges for the width of 100' and height from 2222 to 2332 mm)
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

EXTRA-COST OPTIONS

- Ventilation:**
- ventilation undercut
 - ventilation undercut 15 mm (recuperation)
- Construction:**
- perforated chipboard
 - door leaf 100'
 - door leaf height 2132, 2122 mm
 - door leaf height 2232, 2222 mm
 - door leaf height 2332, 2322 mm
- Extra-cost for width and height apply to door leaf and door frame.
- Accessories:**
- falling threshold

DEDICATED DOOR FRAMES

- Aluminum door frame:**
- The frame is available in an external and internal version, raw, with the possibility of self-painting after impregnation.
 - The package includes: 2 or 3 hinges, gaskets, impregnating agent, installation instruction and accessories needed for its installation.
 - Installation of the frame on a raw wall requires application of plaster or drywall.

HU
EN

DOOR SPECIFICATION

- panel door leaf, solid, thickness: 40 mm
- external door leaf - non-rebated, opening outwards (height 2022 mm)
- internal door leaf - rebated, opening inwards (height 2032 mm)
- surface finishing: primer (surface prepared for self-finishing - painting ¹), 3D Look and Iridium veneers, CPL and HPL laminates
- two openings for hidden hinges, adjustable (3 hinges for the width of 100' and height from 2222 to 2332 mm)
- magnetic lock: mortice key lock / bathroom lock / cylinder lock / passage lock

EXTRA-COST OPTIONS

- Ventilation:**
- ventilation undercut
 - ventilation undercut 15 mm (recuperation)
- Construction:**
- perforated chipboard
 - door leaf 100'
 - door leaf height 2132, 2122 mm
 - door leaf height 2232, 2222 mm
 - door leaf height 2332, 2322 mm
- Extra-cost for width and height apply to door leaf and door frame.
- Accessories:**
- falling threshold


DEDICATED DOOR FRAMES

- Aluminum door frame:**
- The frame is available in an external and internal version, raw, with the possibility of self-painting after impregnation.
 - The package includes: 2 or 3 hinges, gaskets, impregnating agent, installation instruction and accessories needed for its installation.
 - Installation of the frame on a raw wall requires application of plaster or drywall.


¹ | Tests conducted using original wall paints available on the market.
¹ | Tests conducted using original wall paints available on the market.

INTERNAL DOOR FRAME / INTERNAL DOOR FRAME

DOOR LEAF HEIGHT Hd	MOUNTING OPENING HEIGHT Ho	DOOR LEAF EXTER- NAL HEIGHT Hz	CLEAR OPENING HEIGHT Hp	NUMBER OF HINGES
DOOR LEAF HEIGHT Hd	MOUNTING OPENING HEIGHT Ho	DOOR LEAF EXTER- NAL HEIGHT Hz	CLEAR OPENING HEIGHT Hp	NUMBER OF HINGES
2032	2081	2074	2032	2
2132	2181	2174	2132	2
2232	2281	2274	2232	3
2332	2381	2374	2332	3




DOOR LEAF WIDTH Sd	MOUNTING OPENING WIDTH So	DOOR LEAF EXTERNAL WIDTH Sz	DOOR LEAF CLEAR OPENING WIDTH Sp
DOOR LEAF WIDTH Sd	MOUNTING OPENING WIDTH So	DOOR LEAF EXTER- NAL WIDTH Sz	DOOR LEAF CLEAR OPENING WIDTH Sp
618	698	688	603
718	798	788	703
818	898	888	803
918	998	988	903
1018	1098	1088	1003




EXTERNAL DOOR LEAF / EXTERNAL DOOR LEAF

DOOR LEAF HEIGHT Hd	MOUNTING OPE- NING HEIGHT Ho	DOOR LEAF EXTER- NAL HEIGHT Hz	CLEAR OPENING HEIGHT Hp	NUMBER OF HINGES
DOOR LEAF HEIGHT Hd	MOUNTING OPENING HEIGHT Ho	DOOR LEAF EXTER- NAL HEIGHT Hz	CLEAR OPENING HEIGHT Hp	NUMBER OF HINGES
2022	2071	2064	2022	2
2122	2171	2164	2122	2
2222	2271	2264	2222	3
2322	2371	2364	2322	3



DOOR LEAF WIDTH Sd	MOUNTING OPE- NING WIDTH So	DOOR LEAF EXTER- NAL WIDTH Sz	DOOR LEAF CLEAR OPE- NING WIDTH Sp
DOOR LEAF WIDTH Sd	MOUNTING OPENING WIDTH So	DOOR LEAF EXTER- NAL WIDTH Sz	DOOR LEAF CLEAR OPENING WIDTH Sp
618	698	688	603
718	798	788	703
818	898	888	803
918	998	988	903
1018	1098	1088	1003



Classen doors in the Compact system are available in all decors from the following groups: 3D Look, Iridium, CPL, HPL, lacquered (details on page 112–115). HPL decors – only standard offer.

Classen doors in the Compact system are available in all decors from the following groups: 3D Look, Iridium, CPL, HPL, lacquered (details on page 112–115). HPL decors – only standard offer.





SLIDING DOOR SYSTEMS

SLIDING DOOR SYSTEMS

SLIDING DOOR SYSTEMS

SLIDING DOOR SYSTEMS

A way to create an original entrance to the room. They ensure comfortable use and freedom of movement. They are perfect for small spaces, where using traditional doors is a really hard task. They also do a great job on a larger surface, catching the eye and giving the interior a modern, dynamic character. They are available in single and double leaf versions. They also differ depending on the installation method - they can be retracted into the wall or intended for on-wall mounting. Leaves can be chosen from many models with different aesthetics, which is why everyone will find an option ideally suited to their interior.

A way to create an original entrance to the room. They ensure comfortable use and freedom of movement. They are perfect for small spaces, where using traditional doors is a really hard task. They also do a great job on a larger surface, catching the eye and giving the interior a modern, dynamic character. They are available in single and double leaf versions. They also differ depending on the installation method - they can be retracted into the wall or intended for on-wall mounting. Leaves can be chosen from many models with different aesthetics, which is why everyone will find an option ideally suited to their interior.

DO YOU WANT TO SAVE SOME SPACE IN THE FLAT?

Sliding doors will help you with that. Thanks to the convenient way of opening and closing, they do not use additional space. Especially recommended for interiors where every centimeter is important.

DO YOU WANT TO SAVE SOME SPACE IN THE FLAT?

Sliding doors will help you with that. Thanks to the convenient way of opening and closing, they do not use additional space. Especially recommended for interiors where every centimeter is important.



NON-OBVIOUS DECORATION.

The door can play the first fiddle in interior design. Especially double leaf models that look very impressive. In spacious rooms they will hit the bullseye.

NON-OBVIOUS DECORATION.

The door can play the first fiddle in interior design. Especially double leaf models that look very impressive. In spacious rooms they will hit the bullseye.



ON-WALL SLIDING DOOR SYSTEM

ON-WALL SLIDING DOOR SYSTEM



DOUBLE LEAF SLIDING DOOR SYSTEM

DOUBLE LEAF SLIDING DOOR SYSTEM

SINGLE LEAF SLIDING DOOR SYSTEM

- Single leaf on-wall sliding door system consists of a sliding mechanism, masking element (including a bumper beam) and door leaf. Each element must be purchased separately.
- As a standard, the system is installed directly on the wall, optionally it can be installed with a tunnel frame which must be purchased separately. Wall opening height for installation with tunnel: 2060 mm, for assembly without tunnel: 2022 mm.
- Single leaf mechanism is equipped with a 2.5 m long rail, which should be cut to the final size.
- Single leaf sliding door system is offered in the following dimensions: 60', 70', 80', 90', 100'.

DOUBLE LEAF SLIDING DOOR SYSTEM

- Double leaf on-wall sliding door system consists of a sliding mechanism, masking element and door leaf. Each element must be purchased separately.
- Double leaf on-wall sliding system is opened synchronously, i.e. by sliding one leaf, both door leaves open at the same time. Synchronous system requires ordering two door leaves of the same width.
- Double leaf mechanism is equipped with two 2.5 m long rails and masking elements, which should be cut to the final size. Wall opening height for installation with tunnel: 2060 mm, for assembly without tunnel: 2022 mm.
- As a standard, the system is installed directly on the wall, optionally it can be installed with a tunnel frame which must be purchased separately.
- Double leaf sliding system is offered in the following dimensions: 120', 140', 160', 180', 200' (for doors opening synchronously).
- Door leaves for the sliding door system are manufactured in non-rebated version in the external dimensions of rebated door, e.g.: 844 x 2035 mm (80').

AVAILABILITY

- Sliding door system is available in all decors and collections apart from the following collections: Classic, Andromeda, Salvano.

SINGLE LEAF SLIDING DOOR SYSTEM

- Single leaf on-wall sliding door system consists of a sliding mechanism, masking element (including a bumper beam) and door leaf. Each element must be purchased separately.
- As a standard, the system is installed directly on the wall, optionally it can be installed with a tunnel frame which must be purchased separately. Wall opening height for installation with tunnel: 2060 mm, for assembly without tunnel: 2022 mm.
- Single leaf mechanism is equipped with a 2.5 m long rail, which should be cut to the final size.
- Single leaf sliding door system is offered in the following dimensions: 60', 70', 80', 90', 100'.

DOUBLE LEAF SLIDING DOOR SYSTEM

- Double leaf on-wall sliding door system consists of a sliding mechanism, masking element and door leaf. Each element must be purchased separately.
- Double leaf on-wall sliding system is opened synchronously, i.e. by sliding one leaf, both door leaves open at the same time. Synchronous system requires ordering two door leaves of the same width.
- Double leaf mechanism is equipped with two 2.5 m long rails and masking elements, which should be cut to the final size. Wall opening height for installation with tunnel: 2060 mm, for assembly without tunnel: 2022 mm.
- As a standard, the system is installed directly on the wall, optionally it can be installed with a tunnel frame which must be purchased separately.
- Double leaf sliding system is offered in the following dimensions: 120', 140', 160', 180', 200' (for doors opening synchronously).
- Door leaves for the sliding door system are manufactured in non-rebated version in the external dimensions of rebated door, e.g.: 844 x 2035 mm (80').


AVAILABILITY

- Sliding door system is available in all decors and collections apart from the following collections: Classic, Andromeda, Salvano.



SINGLE LEAF SLIDING DOOR SYSTEM

SINGLE LEAF SLIDING DOOR SYSTEM



VERTICAL CROSS-SECTION OF THE SLIDING SYSTEM
VERTICAL CROSS-SECTION OF THE SLIDING SYSTEM

PULL HANDLES INSTALLED IN SLIDING DOORS AS AN EXTRA-COST OPTION.

THE COLOUR OF THE PULL HANDLE ASSIGNED TO A GIVEN DECOR.

PULL HANDLES INSTALLED IN SLIDING DOORS AS AN EXTRA-COST OPTION.

THE COLOUR OF THE PULL HANDLE ASSIGNED TO A GIVEN DECOR.

PCV PULL HANDLES / PCV PULL HANDLES



WHITE
WHITE



SILVER
SILVER

3D Look: White Ash
Iridium: UNI White
CPL: White RAL 9003, White with horizontal structure
Lacquered

3D Look: Colombia Light Walnut, Gray Oak, Anthracite Oak
Iridium: Graphite Ash, Gray Matt, UNI Black
CPL: Light Acacia, Gray RAL 7047, Graphite RAL 7024, Grigio Oak, Kendal Oak, Norwegian Ash, Gessato Oak, Cashmere



BEIGE
BEIGE



BROWN
BROWN

3D Look: Oiled Oak, Sonoma Oak, Riviera Oak, Honey Catania, Cleveland Oak
Iridium: Snow Ash, Brown Ash, Marone Oak
CPL: Hamilton Oak

3D Look: Burnt Oak, Catania Oak
CPL: Italian Walnut

STEEL PULL HANDLES / STEEL PULL HANDLES



BLACK
BLACK



NICKEL
NICKEL

3D Look
Iridium
CPL
Lacquered

EXTRA-COST OPTIONS



door closer
door closer


EXTRA-COST OPTIONS



hook lock (mortice key lock, bathroom lock)
hook lock (mortice key lock, bathroom lock)

Classen sliding doors are available in all decors from the following groups (details on page 112–115) and optionally in RAL palette colours.

Classen sliding doors are available in all decors from the following groups (details on page 112–115) and optionally in RAL palette colours.



AERO

SLIDING DOOR SYSTEMS
SLIDING DOOR SYSTEMS



Thanks to a wide, aluminum rail, partially recessed in the door leaf, Aero System creates an aesthetic and modern combination of the door and the sliding system.

The system consists of the mechanism and the door leaf and is designed for mounting directly on the wall (no possibility of assembly with the tunnel).

DOOR LEAF

- Sliding, single leaf, solid, HARD construction, equipped with stainless steel INOX pull handle as a standard. Dedicated exclusively to Aero system.
- Door leaf dimensions - 744, 844, 944 x 2135 mm.

MECHANISM

- A full set consists of a 2 m aluminum rail, hardware and installation instruction.
- Two types of mechanism are available – standard one and with a self-closing system. After installing the system, the gap between the leaf and the wall is 12 mm.

EXTRA-COST OPTIONS

- RAL palette colours




DOOR LEAF WITH A RAIL CONNECTION METHOD

DOOR LEAF WITH A RAIL CONNECTION METHOD

	DOOR LEAF HEIGHT Hd DOOR LEAF HEIGHT Hd	WALL OPENING HEIGHT Ho WALL OPENING HEIGHT Ho	DOOR LEAF WIDTH Sd DOOR LEAF WIDTH Sd	WALL OPENING WIDTH So WALL OPENING WIDTH So
70"			744	700
80"	2135	2000	844	800
90"			944	900

AERO SYSTEM DIMENSION TABLE
AERO SYSTEM DIMENSION TABLE



HU
EN

Thanks to a wide, aluminum rail, partially recessed in the door leaf, Aero System creates an aesthetic and modern combination of the door and the sliding system.

The system consists of the mechanism and the door leaf and is designed for mounting directly on the wall (no possibility of assembly with the tunnel).

DOOR LEAF

- Sliding, single leaf, solid, HARD construction, equipped with stainless steel INOX pull handle as a standard. Dedicated exclusively to Aero system.
- Door leaf dimensions - 744, 844, 944 x 2135 mm.

MECHANISM

- A full set consists of a 2 m aluminum rail, hardware and installation instruction.
- Two types of mechanism are available – standard one and with a self-closing system. After installing the system, the gap between the leaf and the wall is 12 mm.

EXTRA-COST OPTIONS

- RAL palette colours

IRIDIUM



UNI BLACK
UNI BLACK



GRAPHITE ASH
GRAPHITE ASH

CPL



CASHMERE
CASHMERE



HAMILTON OAK
VERTICAL
HAMILTON OAK
VERTICAL



HAMILTON OAK
HORIZONTAL
HAMILTON OAK
HORIZONTAL

CPL



ITALIAN WALNUT
ITALIAN WALNUT




LIGHT ACACIA
LIGHT ACACIA



NORWEGIAN ASH
NORWEGIAN ASH



GRIGIO OAK
GRIGIO OAK



KENDAL OAK
KENDAL OAK

CPL



WHITE RAL 9003
WHITE RAL 9003

LACQUER / LACQUER



WHITE UV
WHITE UV



WHITE UV PURE
WHITE UV PURE



A modern sliding system perfect for loft interiors. The black steel rail and all other elements of the set give the whole a unique industrial character.

The system is designed for installation directly on the wall, available only in a single-leaf version.

Door leave height: 2035 mm, available in widths 68', 80', 90' with a black recessed steel handle. Doors must be purchased separately, they are available in all collections and decors except: Classic, Andromeda, Salvano.

Required door opening height max. 2015 mm, opening width 100 mm smaller than the leaf width. After installing the system, there is a 9 mm gap between door leaf and the wall.

A modern sliding system perfect for loft interiors. The black steel rail and all other elements of the set give the whole a unique industrial character.

The system is designed for installation directly on the wall, available only in a single-leaf version.

Door leave height: 2035 mm, available in widths 68', 80', 90' with a black recessed steel handle. Doors must be purchased separately, they are available in all collections and decors except: Classic, Andromeda, Salvano.

Required door opening height max. 2015 mm, opening width 100 mm smaller than the leaf width. After installing the system, there is a 9 mm gap between door leaf and the wall.

EXTRA-COST OPTIONS EXTRA-COST OPTIONS

STOPPER
STOPPER



SLIDING SYSTEM WITH A STOPPER
SLIDING SYSTEM WITH A STOPPER

SELF-CLOSING SYSTEM
SELF-CLOSING SYSTEM



SILENT, SELF-CLOSING SYSTEM
SILENT, SELF-CLOSING SYSTEM

STEEL PULL HANDLES
STEEL PULL HANDLES



STEEL
BLACK

PACKAGE

- Includes a complete sliding system with a 1950 mm long rail. A door closer is also available for an extra charge.



PACKAGE

- Includes a complete sliding system with a 1950 mm long rail. A door closer is also available for an extra charge.





POCKET MODEL	LIGHT OPENING L X H	EXTERNAL DIMENSIONS			THICKNESS OF POCKET / WALL ¹	INTERNAL DIMENSIONS	DOOR LEAF DIMENSIONS	
POCKET MODEL	LIGHT OPENING L X H	C X H1	A	B	THICKNESS OF POCKET / WALL ¹	INTERNAL DIMENSIONS	LP	HP
G60 plus	610 x 2030	1346 x 2120	670	640	100 ²	54	644	2035
G70 plus	710 x 2030	1546 x 2120	770	740			744	
G80 plus	810 x 2030	1746 x 2120	870	840			844	
G90 plus	910 x 2030	1946 x 2120	970	940			944	
G100 plus ²	1010 x 2030	2146 x 2120	1070	1040			1044	

SINGLE POCKET DIMENSION TABLE
SINGLE POCKET DIMENSION TABLE



POCKET MODEL	LIGHT OPENING L X H	EXTERNAL DIMENSIONS			THICKNESS OF POCKET / WALL ¹	INTERNAL DIMENSIONS	DOOR LEAF DIMENSIONS	
POCKET MODEL	LIGHT OPENING L X H	C X H1	A	B	THICKNESS OF POCKET / WALL ¹	INTERNAL DIMENSIONS	LP	HP
GG60 plus	1220 x 2030	2600 x 2120	1290	640	100 ²	54	644	2035
GG70 plus	1420 x 2030	3000 x 2120	1490	740			744	
GG80 plus	1620 x 2030	3400 x 2120	1690	840			844	
GG90 plus	1820 x 2030	3800 x 2120	1890	940			944	
GG100 plus	2020 x 2030	4200 x 2120	2090	1040			1044	

DOUBLE POCKET DIMENSION TABLE
DOUBLE POCKET DIMENSION TABLE



- ¹ Eclisse door frames for non-standard wall thickness should be ordered in line with the order form. Door frame decors: 3D Look, Iridium and CPL.
Eclisse door frames for non-standard wall thickness should be ordered in line with the order form. Door frame decors: 3D Look, Iridium and CPL.
- ² Pocket with a thickness of 100 mm – possibility of assembly of all collections except for glazed models in panel doors. Decor is available while stocks last.
Pocket with a thickness of 100 mm – possibility of assembly of all collections except for glazed models in panel doors. Decor is available while stocks last.

- ¹ IT IS NOT POSSIBLE TO INSTALL ECLISSE SLIDING SYSTEMS IN COMBINATION WITH THE SALVANO AND ANDROMEDA COLLECTIONS.
- ¹ IT IS NOT POSSIBLE TO INSTALL ECLISSE SLIDING SYSTEMS IN COMBINATION WITH THE SALVANO AND ANDROMEDA COLLECTIONS.

Wood-based door frames

Wood-based door frames

This group of door frames is intended for everyday use door leaves used in apartments and offices. All these frames can be used with lacquered, frame and panel doors produced by Classen.

In this section you will find frames of a universal character, e.g. Adjustable or Standard 2-pack fixed.

This group of door frames is intended for everyday use door leaves used in apartments and offices. All these frames can be used with lacquered, frame and panel doors produced by Classen.

In this section you will find frames of a universal character, e.g. Adjustable or Standard 2-pack fixed.



ADJUSTABLE
ADJUSTABLE



PAGE 94

ADJUSTABLE 80
ADJUSTABLE 80



PAGE 94

ADJUSTABLE NON-REBATED
ADJUSTABLE NON-REBATED



PAGE 121

ADJUSTABLE 80 NON-REBATED
ADJUSTABLE 80 NON-REBATED



PAGE 121

STANDARD 2-PACK FIXED
STANDARD 2-PACK FIXED



PAGE 98

ADJUSTABLE / ADJUSTABLE 80

ADJUSTABLE / ADJUSTABLE 80



EXECUTION STANDARD

- Adjustable door frames are made of chipboard and MDF, covered with Classen decors or lacquered, in colours corresponding to door leaves colours.
- Also available in Tunel version.

Packaging:

- Complete door frame consists of an upper beam and a base and it constitutes one package. The set includes hardware, gaskets and an assembly set. For door leaves with the dimension of 100' or reinforced leaves, it is required to use door frame with three hinges.

COLOURS

3D Look ¹

- Gessato Oak, Honey Catania, Claveland Oak, Oiled Oak, White Ash, Sonoma Oak, Colombia Light Walnut, Riviera Oak, Gray Oak, Anthracite Oak, Catania Oak

Iridium

- UNI White ¹, UNI Black ¹, Gray Matt ¹, Brown Ash, Graphite Ash ¹, Marone Oak ¹

CPL

- Cashmere ¹, Hamilton Oak Vertical ¹, Light Acacia ¹, White 9003 ¹, Italian Walnut ¹, Norwegian Ash ¹, Kendal Oak ¹, Grigio Oak ¹

Lacquer ¹

- White UV or PU

EXTRA-COST OPTIONS

- third hinge
- door frame 100'
- door frame 110'
- door frame 120'
- PN 22 door frame height
- PN 23 door frame height
- band 80
- door frame for double leaf door
- RAL colours

EXECUTION STANDARD

- Adjustable door frames are made of chipboard and MDF, covered with Classen decors or lacquered, in colours corresponding to door leaves colours.
- Also available in Tunel version.

Packaging:

- Complete door frame consists of an upper beam and a base and it constitutes one package. The set includes hardware, gaskets and an assembly set. For door leaves with the dimension of 100' or reinforced leaves, it is required to use door frame with three hinges.

COLOURS

3D Look ¹

- Gessato Oak, Honey Catania, Claveland Oak, Oiled Oak, White Ash, Sonoma Oak, Colombia Light Walnut, Riviera Oak, Gray Oak, Anthracite Oak, Catania Oak

Iridium

- UNI White ¹, UNI Black ¹, Gray Matt ¹, Brown Ash, Graphite Ash ¹, Marone Oak ¹

CPL


- Cashmere ¹, Hamilton Oak Vertical ¹, Light Acacia ¹, White 9003 ¹, Italian Walnut ¹, Norwegian Ash ¹, Kendal Oak ¹, Grigio Oak ¹

Lacquer ¹

- White UV or PU



EXTRA-COST OPTIONS

- third hinge
- door frame 100'
- door frame 110'
- door frame 120'
- PN 22 door frame height
- PN 23 door frame height
- band 80
- door frame for double leaf door
- RAL colours



ADJUSTABLE DOOR FRAME
ADJUSTABLE DOOR FRAME

ADJUSTABLE 80 DOOR FRAME
ADJUSTABLE 80 DOOR FRAME



Dimensions of the adjustable door frame [mm]: Dimensions of the adjustable door frame [mm]:													Adjustment range [mm]: Adjustment range [mm]:		
	A	B	C	D	E	S		A	B	C	D	E	S	75-95	220-240
60	603	625	648	748	788	675	100	1038	1061	1083	1183	1223	1110	95-115	240-260
68	678	701	723	823	863	750	110	1138	1161	1183	1283	1323	1210	120-140	260-280
70	703	726	748	848	888	775	120	1238	1261	1283	1383	1423	1310	140-160	280-300
80	803	826	848	948	988	875	130	1338	1361	1383	1483	1523	1410	160-180	300-320
90	903	926	948	1048	1088	975	140*	1438	1461	1483	1583	1623	1510	180-200	320-340
100	1003	1026	1048	1148	1188	1075	150	1538	1561	1583	1683	1723	1610	200-220	340-360
110	1103	1126	1148	1248	1288	1175	160	1638	1661	1683	1783	1823	1710		
120	1203	1226	1248	1348	1388	1275	170	1738	1761	1783	1883	1923	1810		
SINGLE LEAF / SINGLE LEAF							180	1838	1861	1883	1983	2023	1910		
							190	1938	1961	1983	2083	2123	2010		
							200	2038	2061	2083	2183	2223	2110		
DOUBLE LEAF / DOUBLE LEAF															

¹ | Adjustable 80 door frame available in marked decors.
Not available in Natura HK CPL - PN22 and PN23 models.
Adjustable 80 door frame available in marked decors.
Not available in Natura HK CPL - PN22 and PN23 models.

² | The door leaf dimension 68' is not available in double door.
The door leaf dimension 68' is not available in double door.

NON-REBATED ADJUSTABLE / ADJUSTABLE 80

NON-REBATED ADJUSTABLE / ADJUSTABLE 80



EXECUTION STANDARD

- Adjustable Non-rebated door frames are made of chipboard and MDF, covered with Classen decors or lacquered, in colours corresponding to door leaves colours. Door frames dedicated for non-rebated door leaves.
- Packaging:**
 - Complete non-rebated door frame consists of an upper beam and a base and it constitutes one package. The set includes two non-rebated hidden hinges, gaskets and an assembly set.

COLOURS

- Iridium**
 - UNI White ¹, UNI Black ¹, Marone Oak, Snow Ash ², Graphite Ash ¹, Gray Matt ¹
- CPL**
 - Cashmere ¹, Hamilton Oak Vertical ¹, Light Acacia ¹, White 9003 ¹, Italian Walnut ¹, Norwegian Ash ¹, Kendal Oak ¹, Grigio Oak ¹
- Lacquer** ¹
 - lacquer: White UV or PU

EXTRA-COST OPTIONS

- door frame 100'
- band 80
- RAL colours

EXECUTION STANDARD




- Adjustable Non-rebated door frames are made of chipboard and MDF, covered with Classen decors or lacquered, in colours corresponding to door leaves colours. Door frames dedicated for non-rebated door leaves.
- Packaging:**
 - Complete non-rebated door frame consists of an upper beam and a base and it constitutes one package. The set includes two non-rebated hidden hinges, gaskets and an assembly set.

COLOURS

- Iridium**
 - UNI White ¹, UNI Black ¹, Marone Oak, Snow Ash ², Graphite Ash ¹, Gray Matt ¹
- CPL**
 - Cashmere ¹, Hamilton Oak Vertical ¹, Light Acacia ¹, White 9003 ¹, Italian Walnut ¹, Norwegian Ash ¹, Kendal Oak ¹, Grigio Oak ¹
- Lacquer** ¹
 - lacquer: White UV or PU



EXTRA-COST OPTIONS

- door frame 100'
- band 80
- RAL colours



ADJUSTABLE NON-REBATED DOOR FRAME
ADJUSTABLE NON-REBATED DOOR FRAME

ADJUSTABLE 80 NON-REBATED DOOR FRAME
ADJUSTABLE 80 NON-REBATED DOOR FRAME



3D hinge
3D hinge



Strike plate with adjustment
Strike plate with adjustment

Dimensions of the adjustable non-rebated door frame [mm]:
Dimensions of the adjustable non-rebated door frame [mm]:

	A	B	C	D	E	S
60	601	624	646	746	786	690
68	676	699	721	821	861	765
70	701	724	746	846	886	790
80	801	824	846	946	986	890
90	901	924	946	1046	1086	990
100	1001	1024	1046	1146	1186	1090

SINGLE LEAF / SINGLE LEAF

Adjustment range [mm]:
Adjustment range [mm]:

90-110	235-255
110-130	255-275
135-155	275-295
155-175	295-315
175-195	315-335
195-215	335-355
215-235	355-375

¹ | Adjustable 80 door frame available in marked decors.
Not available in Natura HK CPL - PN22 and PN23 models.
Adjustable 80 door frame available in marked decors.
Not available in Natura HK CPL - PN22 and PN23 models.

STANDARD 2-PACK FIXED

STANDARD 2-PACK FIXED



EXECUTION STANDARD

- Standard 2-pack fixed door frames are made of MDF, covered with 3D Look and Iridium veneer and CPL laminate in decors corresponding to door leaves decors.

Packaging:

- Complete door frame consists of an upper beam and a base (two separate packages), equipped with two silver pintle hinges (the third hinge – as an extra-cost option). For door leaves with the dimension of 100' or reinforced leaves, it is required to use door frame with three hinges.

COLOURS

3D Look

- Gessato Oak, Honey Catania, Claveland Oak, Oiled Oak, White Ash, Sonoma Oak, Colombia Light Walnut, Riviera Oak, Gray Oak, Anthracite Oak, Catania Oak

Iridium

- Graphite Ash, UNI White, UNI Black, Gray Matt, Marone Oak

CPL

- Light Acacia, Italian Walnut, White 9003, Norwegian Ash, Kendal Oak, Grigio Oak

Lacquer

- White UV or PU

EXTRA-COST OPTIONS

- third hinge
- door frame 100'
- door frame 110'
- door frame 120'
- door frame for double leaf door

EXECUTION STANDARD

- Standard 2-pack fixed door frames are made of MDF, covered with 3D Look and Iridium veneer and CPL laminate in decors corresponding to door leaves decors.

Packaging:

- Complete door frame consists of an upper beam and a base (two separate packages), equipped with two silver pintle hinges (the third hinge – as an extra-cost option). For door leaves with the dimension of 100' or reinforced leaves, it is required to use door frame with three hinges.

COLOURS

3D Look

- Gessato Oak, Honey Catania, Claveland Oak, Oiled Oak, White Ash, Sonoma Oak, Colombia Light Walnut, Riviera Oak, Gray Oak, Anthracite Oak, Catania Oak

Iridium

- Graphite Ash, UNI White, UNI Black, Gray Matt, Marone Oak

CPL




- Light Acacia, Italian Walnut, White 9003, Norwegian Ash, Kendal Oak, Grigio Oak

Lacquer

- White UV or PU

EXTRA-COST OPTIONS

- third hinge
- door frame 100'
- door frame 110'
- door frame 120'
- door frame for double leaf door



Dimensions of Std 2-pack door frame [mm]:
Dimensions of Std 2-pack door frame [mm]:

	A	B	C	S		A	B	C	S
60	602	626	686	710	100	1037	1061	1121	1145
68	677	701	761	785	110	1137	1161	1221	1245
70	702	726	786	810	120	1237	1261	1321	1345
80	802	826	886	910	130	1337	1361	1421	1445
90	902	926	986	1010	140 ¹	1437	1461	1521	1545
100	1002	1026	1086	1110	150	1537	1561	1621	1645
110	1102	1126	1186	1210	160	1637	1661	1721	1745
120	1202	1226	1286	1310	170	1737	1761	1821	1845
SINGLE LEAF / SINGLE LEAF					180	1837	1861	1921	1945
					190	1937	1961	2021	2045
					200	2037	2061	2121	2145

DOUBLE LEAF / DOUBLE LEAF

¹ | The door leaf dimension 68' is not available in double door.
The door leaf dimension 68' is not available in double door.

THE ABC OF DOORS – information database

THE ABC OF DOORS – information database

CORE CORE




HONEYCOMB
HONEYCOMB
filling
filling



CLASSEN HARD EDGE PF
CLASSEN HARD EDGE PF
construction for PF rebate
construction for PF rebate



PERFORATED CHIPBOARD
PERFORATED CHIPBOARD
filling
filling



FRAME CONSTRUCTION
FRAME CONSTRUCTION
construction elements connected with mounting pins
construction elements connected with mounting pins



CLASSEN HARD
CLASSEN HARD
reinforced construction
reinforced construction

REBATED AND NON-REBATED DOOR LEAVES PROFILES REBATED AND NON-REBATED DOOR LEAVES PROFILES



K PROFILE
K PROFILE
side and top edge of the door
side and top edge of the door



R PROFILE
R PROFILE
side and top edge of the door
side and top edge of the door



PF PROFILE
PF PROFILE
postforming only on the side edge
of the door
postforming only on the side edge
of the door



B PROFILE
B PROFILE
non-rebated
non-rebated

VENTILATION VENTILATION



PASS-THROUGH VENTILATION SLEEVES
PASS-THROUGH VENTILATION SLEEVES
Single-coloured PVC, matching door decors
Single-coloured PVC, matching door decors



METAL VENTILATION SLEEVES
METAL VENTILATION SLEEVES
satine chrome
satine chrome




PASS-THROUGH VENTILATION GRILLE
PASS-THROUGH VENTILATION GRILLE
made of plastic, matching door decors
made of plastic, matching door decors



VENTILATION UNDERCUT IN PANEL DOORS¹
VENTILATION UNDERCUT IN PANEL DOORS¹

undercut 15 mm - for rooms with recuperation
undercut 26 mm - WC for doors 80'-100'
undercut 38 mm - WC for doors 60'-70'

undercut 15 mm - for rooms with recuperation
undercut 26 mm - WC for doors 80'-100'
undercut 38 mm - WC for doors 60'-70'



HEIGHT OF VENTILATION UNDERCUT IN FRAME DOORS,
FOR WIDTH 60'-100'²

HEIGHT OF VENTILATION UNDERCUT IN FRAME DOORS,
FOR WIDTH 60'-100'²

¹ In line with applicable rules, ventilation area in the door leaf cannot be less than 0,022 m² for air flow. These requirements are fulfilled by ventilation grille and ventilation undercut. Not applicable to Andromeda and Salvano collections, for dimensions 60' and 70'. Undercut 15 mm - for rooms with recuperation, undercut 30 mm WC for doors.

In line with applicable rules, ventilation area in the door leaf cannot be less than 0,022 m² for air flow. These requirements are fulfilled by ventilation grille and ventilation undercut. Not applicable to Andromeda and Salvano collections, for dimensions 60' and 70'. Undercut 15 mm - for rooms with recuperation, undercut 30 mm WC for doors.

² In frame doors with a width of 60', 70', ventilation undercut does not meet the required air throughput in accordance with applicable regulations.

In frame doors with a width of 60', 70', ventilation undercut does not meet the required air throughput in accordance with applicable regulations.


THE ABC OF DOORS – information database

THE ABC OF DOORS – information database

TYPE OF DOOR REBATE TYPE OF DOOR REBATE



NON-REBATED DOOR
NON-REBATED DOOR



REBATED DOOR
REBATED DOOR



3D HINGE
3D HINGE



STRIKE PLATE
STRIKE PLATE




STRIKE PLATE
STRIKE PLATE



HINGE
HINGE

DOOR OPENING DIRECTION DOOR OPENING DIRECTION



SINGLE LEAF DOOR,
RIGHT
SINGLE LEAF DOOR,
RIGHT


SINGLE LEAF DOOR,
LEFT
SINGLE LEAF DOOR,
LEFT



SLIDING DOOR,
RIGHT
SLIDING DOOR,
RIGHT



SLIDING DOOR,
LEFT
SLIDING DOOR,
LEFT



DOUBLE LEAF DOOR,
RIGHT
DOUBLE LEAF DOOR,
RIGHT


DOUBLE LEAF DOOR,
LEFT
DOUBLE LEAF DOOR,
LEFT

ADDITIONAL ELEMENTS
ADDITIONAL ELEMENTS--



STEEL KICK-PLATE, SOLID
STEEL KICK-PLATE, SOLID

one-sided or two-sided
one-sided or two-sided



STEEL KICK-PLATE WITH VENTILATION GRILLE
STEEL KICK-PLATE WITH VENTILATION GRILLE

two-sided
two-sided



STEEL PUSH-PLATE
STEEL PUSH-PLATE

one-sided or two-sided
one-sided or two-sided




ALUMINUM VENTILATION GRILLE
ALUMINUM VENTILATION GRILLE

two-sided
two-sided



PORTHOLE
PORTHOLE

internal diameter – 240 mm, milky-white or transparent glass
internal diameter – 240 mm, milky-white or transparent glass




STEEL VERTICAL PUSH-PLATE
STEEL VERTICAL PUSH-PLATE

with any room number
with any room number


DOOR DIMENSIONS
DOOR DIMENSIONS

REBATED DOOR LEAVES DIMENSIONS REBATED DOOR LEAVES DIMENSIONS




door leaf width door leaf width	A	B
60	618	644
68	693	619
70	718	744
80	818	844
90	918	944
100	1018	1044
110	1118	1144
120	1218	1244
120	1253	1279
130	1353	1379
140	1453	1479
150	1553	1579
160	1653	1679
170	1753	1779
180	1853	1879
190	1953	1979
200	2053	2079

	dimension (mm) dimension (mm)
C	2022
D	2035
E	26
F	13
G	228
H	1708
I	766
J	1112



NON-REBATED DOOR LEAVES DIMENSIONS NON-REBATED DOOR LEAVES DIMENSIONS




door leaf width door leaf width	A (mm) A (mm)
60	618
68	693
70	718
80	818
90	918
100	1018

	dimension (mm) dimension (mm)
B	275
D	1719
E	2022
F	1110
G	85 – cylinder 90 – wc 90 – mortice key




SLIDING DOOR LEAVES DIMENSIONS SLIDING DOOR LEAVES DIMENSIONS



	dimension (mm) dimension (mm)
A	644, 744, 844, 944, 1044
B	1110
C	2035

MOULDINGS / RAL COLOURS

MOULDINGS / RAL COLOURS



14X80 MM AS FINISHING MOULDING FOR DOORS AND AS WALL BASE MOULDING

14X80 MM AS FINISHING MOULDING FOR DOORS AND AS WALL BASE MOULDING



Application:
Finishing mouldings are used for masking non-finished places of joining the walls and a door frame. 14x80 moulding can be also installed as a wall base moulding. It is possible to instal finishing mouldings with small nails.

Colours:
Available in all door decors and white lacquer.

Packaging:
One package contains three finishing mouldings to be cut to match single or double leaf doors.

For single leaf door:
2x vertical element 2160 mm, 1x beam 1160 mm.

For double leaf door:
2x vertical element 2160 mm, 1x beam 2350 mm.

Application:
Finishing mouldings are used for masking non-finished places of joining the walls and a door frame. 14x80 moulding can be also installed as a wall base moulding. It is possible to instal finishing mouldings with small nails.

Colours:
Available in all door decors and white lacquer.


Packaging:
One package contains three finishing mouldings to be cut to match single or double leaf doors.

For single leaf door:
2x vertical element 2160 mm, 1x beam 1160 mm.

For double leaf door:
2x vertical element 2160 mm, 1x beam 2350 mm.

ADJUSTMENT BAND WITH TONGUE 60 MM

ADJUSTMENT BAND WITH TONGUE 60 MM



APPLICATION

The band is an optional element designed for adjustable and adjustable 80 door frame ¹.

The band with longer tongue increases the adjustment range by 17 mm. Available in the following width: 60'-90'.

EXTRA-COST OPTIONS

width 100'

APPLICATION

The band is an optional element designed for adjustable and adjustable 80 door frame ¹.

The band with longer tongue increases the adjustment range by 17 mm. Available in the following width: 60'-90'.

EXTRA-COST OPTIONS

width 100'

Table, door and frames RAL colour groups ²

Table, door and frames RAL colour groups ²

Group	Color number
I	1013 1014 1015 7004 7032 7035 7038 7040 7044 7047 9001 9002 9010 9016
II	1000 1001 1002 1011 1019 1020 1024 3009 3012 3015 3034 5012 5014 5015 5018 6021 6027 6034 7000 7002 7003 7005 7006 7009 7023 7030 7031 7034 7036 7037 7039 7042 7045 7046 8002 8017 8024 8025 9011
III	1003 1004 1005 1012 1017 1034 3000 3014 3017 3018 3022 4001 4002 4003 4005 4006 4008 4009 4010 5000 5001 5002 5003 5005 5007 5008 5009 5011 5013 5017 5019 5020 5021 5022 5023 6000 6003 6006 6008 6010 6011 6012 6014 6015 6016 6017 6020 6022 6024 6026 6028 6032 6033 7008 7013 7024 7026 8000 8001 8003 8004 8007 8008 8011 8014 8019 8022 8023 9005 9017
IV	1006 1007 1016 1018 1021 1023 1027 1028 1032 1033 2000 2001 2002 2003 2008 2009 2010 2011 2012 3001 3002 3003 3004 3005 3007 3011 3013 3016 3020 3027 3031 4004 4007 5004 6001 6002 6004 6007 6009 6018 6025 7016 8012

¹ | Available in decors as for the non-rebated adjustable 80 door frame (details on page 95).
Available in decors as for the non-rebated adjustable 80 door frame (details on page <?>).

² | Minimum order quantity in the case of RAL colour finish - 3 sets (door leaf + door frame).
Minimum order quantity in the case of RAL colour finish - 3 sets (door leaf + door frame).

ACCESSORIES
ACCESSORIES

VENTILATION VENTILATION

PVC VENTILATION SLEEVES MATCHING THE COLOUR OF THE DOOR LEAF VENEER:
PVC VENTILATION SLEEVES MATCHING THE COLOUR OF THE DOOR LEAF VENEER:




WHITE WHITE LIGHT GRAY LIGHT GRAY LIGHT BEIGE LIGHT BEIGE DARK BEIGE DARK BEIGE BROWN BROWN DARK BROWN DARK BROWN GRAPHITE GRAPHITE

VENTILATION GRILLES VENTILATION GRILLES




GRILLE FOR TECHNICAL DOORS GRILLE FOR TECHNICAL DOORS aluminium WHITE plastic plastic plastic plastic plastic plastic GRAY plastic ORANGE plastic DARK BROWN plastic GRAPHITE plastic

LOCKS LOCKS




REBATED DOOR LEAVES LOCK REBATED DOOR LEAVES LOCK left and right version mortice key lock / cylinder lock / WC (4x4) left and right version mortice key lock / cylinder lock / WC (4x4) STRIKE PLATE STRIKE PLATE black black MAGNETIC LOCK MAGNETIC LOCK for non-rebated doors mortice key lock / cylinder lock / WC (6x6) for non-rebated doors mortice key lock / cylinder lock / WC (6x6) MAGNETIC LOCK MAGNETIC LOCK black, for non-rebated doors mortice key lock / cylinder lock / WC (6x6) black, for non-rebated doors mortice key lock / cylinder lock / WC (6x6) STRIKE PLATE STRIKE PLATE black, for non-rebated doors black, for non-rebated doors HOOK LOCK HOOK LOCK for sliding doors mortice key lock / WC lock for sliding doors mortice key lock / WC lock



DEADBOLT LOCK DEADBOLT LOCK bottom, Bord left / right bottom, Bord left / right FIRE LOCK FIRE LOCK CYLINDER LOCK CYLINDER LOCK Designed for cylinder locks, 26/36 mm Designed for cylinder locks, 26/36 mm SET OF CYLINDER LOCKS SET OF CYLINDER LOCKS Designed for cylinder locks, 26x40 class II (BORD W3) Designed for cylinder locks, 26x40 class II (BORD W3)

ACCESSORIES
ACCESSORIES

HINGES HINGES



3D HINGE 3D HINGE for non-rebated doors nickel or black for non-rebated doors nickel or black DOOR FRAME HINGE DOOR FRAME HINGE PANEL DOOR HINGE PANEL DOOR HINGE FIRE HINGE FIRE HINGE wooden door frame wooden door frame FIRE HINGE / GUARD FIRE HINGE / GUARD steel door frame steel door frame

DOOR STOPS / PEEPHOLES DOOR STOPS / PEEPHOLES



WALL DOOR STOP WALL DOOR STOP nickel cone nickel cone WALL DOOR STOP WALL DOOR STOP nickel square nickel square FLOOR DOOR STOP FLOOR DOOR STOP nickel spherical nickel spherical FLOOR DOOR STOP FLOOR DOOR STOP bronze spherical bronze spherical PEEPHOLE PEEPHOLE nickel nickel PEEPHOLE PEEPHOLE grafiatto bronze grafiatto bronze

PCV PULL HANDLES PCV PULL HANDLES

ROUND - FOR SLIDING DOORS / ROUND - FOR SLIDING DOORS




WHITE WHITE SILVER SILVER GOLDEN GOLDEN BEIGE BEIGE BROWN BROWN

DOOR CLOSERS DOOR CLOSERS



DC140 SURFACE MOUNTED DOOR CLOSER DC140 SURFACE MOUNTED DOOR CLOSER with standard arm for FIRE door with standard arm for FIRE door DC135 DOOR CLOSER DC135 DOOR CLOSER with sliding rail for FIRE door with sliding rail for FIRE door DOOR CLOSER DOOR CLOSER for sliding doors system for sliding doors system

OTHER ACCESSORIES OTHER ACCESSORIES



DOOR PULL HANDLE DOOR PULL HANDLE for sliding doors, black for sliding doors, black DOOR PULL HANDLE DOOR PULL HANDLE for sliding doors, steel for sliding doors, steel HINGE PVC COVERS HINGE PVC COVERS for panel doors, diameters: 13.5 mm. Colours: white, satin, gold, black for panel doors, diameters: 13.5 mm. Colours: white, satin, gold, black

HANDLES
HANDLES

NEW!
TIPO QR
black
black



HANDLE
with a short escutcheon plate
HANDLE
with a short escutcheon plate




standard rosette
standard rosette



cylinder rosette
cylinder rosette



WC rosette
WC rosette



black
black

NEW!
TIPO QR
nickel
nickel



HANDLE
with a short escutcheon plate
HANDLE
with a short escutcheon plate




standard rosette
standard rosette



cylinder rosette
cylinder rosette



WC rosette
WC rosette



nickel
nickel

NEW!
NOVA R
brass
brass



HANDLE
with a short escutcheon plate
HANDLE
with a short escutcheon plate




standard rosette
standard rosette



cylinder rosette
cylinder rosette



WC rosette
WC rosette



brass
brass

NEW!
NOVA R
nickel
nickel



HANDLE
with a short escutcheon plate
HANDLE
with a short escutcheon plate




standard rosette
standard rosette



cylinder rosette
cylinder rosette



WC rosette
WC rosette



nickel
nickel

HANDLES
HANDLES

DIANA QR
satin chrome
satin chrome



HANDLE
with a short escutcheon plate
HANDLE
with a short escutcheon plate




standard rosette
standard rosette



cylinder rosette
cylinder rosette



WC rosette
WC rosette



satin chrome
satin chrome

FIRE DOOR HANDLE / FIRE DOOR HANDLE
stainless steel
stainless steel



HANDLE
with a short escutcheon plate
HANDLE
with a short escutcheon plate




standard rosette
standard rosette



cylinder rosette
cylinder rosette



WC rosette
WC rosette



stainless steel
stainless steel

ROMANA
grafiatto bronze, chrome / nickel
grafiatto bronze, chrome / nickel



HANDLE
with a short escutcheon plate
HANDLE
with a short escutcheon plate



standard rosette
standard rosette




cylinder rosette
cylinder rosette



WC rosette
WC rosette



chrome / nickel
chrome / nickel



grafiatto bronze
grafiatto bronze

PRADO
stainless steel, satin
stainless steel, satin



HANDLE
with a short escutcheon plate
HANDLE
with a short escutcheon plate




standard rosette
standard rosette




cylinder rosette
cylinder rosette



WC rosette
WC rosette



satin
satin



stainless steel
stainless steel

HANDLES
HANDLES

QUBIK QR
black matt, nickel, titanium
black matt, nickel, titanium



HANDLE
with a short escutcheon plate
HANDLE
with a short escutcheon plate




standard rosette
standard rosette



cylinder rosette
cylinder rosette



WC rosette
WC rosette



SIGMA QR
stainless steel, satin
stainless steel, satin



HANDLE
with a short escutcheon plate
HANDLE
with a short escutcheon plate



standard rosette
standard rosette



cylinder rosette
cylinder rosette



WC rosette
WC rosette



PALERMO QR
nickel
nickel



HANDLE
with a short escutcheon plate
HANDLE
with a short escutcheon plate




standard rosette
standard rosette



cylinder rosette
cylinder rosette



WC rosette
WC rosette



FOKUS QR
black, titanium
black, titanium



HANDLE
with a short escutcheon plate
HANDLE
with a short escutcheon plate




standard rosette
standard rosette



cylinder rosette
cylinder rosette



WC rosette
WC rosette



NEW!

NOVA
nickel
nickel



HANDLE
with a long escutcheon plate
HANDLE
with a long escutcheon plate




standard rosette
standard rosette



cylinder rosette
cylinder rosette



WC rosette
WC rosette



NEW!

NOVA R
brass
brass



HANDLE
with a long escutcheon plate
HANDLE
with a long escutcheon plate




standard rosette
standard rosette



cylinder rosette
cylinder rosette



WC rosette
WC rosette



ALMA ECO
grafiatto bronze, nickel
grafiatto bronze, nickel



HANDLE
with a long escutcheon plate
HANDLE
with a long escutcheon plate




standard rosette
standard rosette



cylinder rosette
cylinder rosette



WC rosette
WC rosette




NEW!

SHARK
black, inox
black, inox



Spacing 72 mm, upper
rosette, short.
Spacing 72 mm, upper
rosette, short.

For W46 Bord door (multipoint
lock) and FIRE door.
For W46 Bord door (multipoint
lock) and FIRE door.



Spacing 90 mm, upper
rosette, long.
Spacing 90 mm, upper
rosette, long.

For B40, B46 Bord door
(deadbolt lock).
For B40, B46 Bord door
(deadbolt lock).



NEW!


DIVA class III
inox
inox



HANDLE
with a long escutcheon
plate, spacing 72 mm,
upper rosette, short.
For W3 Bord door.
HANDLE
with a long escutcheon
plate, spacing 72 mm,
upper rosette, short.
For W3 Bord door.




rosette for upper lock
rosette for upper lock




VENEER

3D LOOK




HONEY CATANIA
HONEY CATANIA




GESSATO OAK
GESSATO OAK



CLEVELAND OAK
CLEVELAND OAK



RIVIERA OAK
RIVIERA OAK




ANTHRACITE OAK
ANTHRACITE OAK



COLOMBIA LIGHT WALNUT
COLOMBIA LIGHT WALNUT



OILED OAK
OILED OAK




WHITE ASH
WHITE ASH



SONOMA OAK
SONOMA OAK



GRAY OAK
GRAY OAK




CATANIA OAK
CATANIA OAK

VENEER

VENEER


IRIDIUM




UNI WHITE
UNI WHITE




GRAY MATT
GRAY MATT



UNI BLACK
UNI BLACK




MARONE OAK
MARONE OAK




GRAPHITE ASH
GRAPHITE ASH

veneer
 veneer


CPL




CASHMERE
CASHMERE




HAMILTON OAK VERTICAL
HAMILTON OAK VERTICAL




HAMILTON OAK HORIZONTAL
HAMILTON OAK HORIZONTAL




LIGHT ACACIA
LIGHT ACACIA




NORWEGIAN ASH
NORWEGIAN ASH




GRIGIO OAK
GRIGIO OAK



KENDAL OAK
KENDAL OAK




ITALIAN WALNUT
ITALIAN WALNUT



WHITE RAL 9003
WHITE RAL 9003


veneer / lacquer
 veneer / lacquer

HPL



WHITE RAL 9003
WHITE RAL 9003

LACQUER



WHITE - LACQUERED, SIMILAR TO RAL 9003
WHITE - LACQUERED, SIMILAR TO RAL 9003



BLACK - LACQUERED, SIMILAR TO RAL 9005
BLACK - LACQUERED, SIMILAR TO RAL 9005








































HPL UNI DECORS
HPL UNI DECORS

Available upon individual enquiries. Details in the Customer Service department.
Available upon individual enquiries. Details in the Customer Service department.

				
Cotton U113 – NCS S0907-Y30R	Vibrant Yellow U114 – NCS S1060-Y10R	Citrus Yellow U131 – NCS S0560-G90Y	Sand Beige U156 – NCS S1505-Y50R	Curry Yellow U163 – NCS S2060-Y10R
				
Silicon Gray U201 – NCS S3502-Y	Came Beige U216 – NCS S0502-Y50R	Burgundy U311 – NCS S5040-R	Chinese Red U321 – NCS S1580-Y90R	Chili Red U323 – NCS S3060-R
				
Aubergine U330 – NCS S7010-R30B	Blue Horizon U522 – NCS S1030-R80B	Faience Blue U525 – NCS S3060-R90B	Indigo Blue U599 – NCS S8505-R80B	Kiwi green U626 – NCS S3050-G40Y
				
Lime Green U630 – NCS S1060-G40Y	Niagara Green U646 – NCS S5030-B30G	Cashmere U702 – NCS S2005-Y60R	Silky Gray U707 – NCS S1500-N	Light Gray U708 – NCS S2000-N
				
Stone Gray U727 – NCS S4005-Y50R	Dust Gray U732 – NCS S5000-N	Lava Gray U741 – NCS S7005-Y20R	Taupe Gray U750 – NCS S2005-Y20R	Pearl Gray U763 – NCS S2500-N
				
Cubanite Gray U767 – NCS S6005-Y20R	White Gray U775 – NCS S1000-N	Artic Gray U788 – NCS S4500-N	Velvet Black U899 – NCS S8500-N	Gray Onyx U960 – NCS S6500-N
				
Graphite Gray U961 – NCS S8000-N	Diamond Gray U963 – NCS S7500-N	Black U999 – NCS S9000-N	White W911 – NCS S0502-G50Y	Platinum White W980 – NCS S0300-N
				
Premium White ST22 W1000 – NCS S0500-N	Premium White solid W1001 – NCS S0500-N	Alpine White W1100 – NCS S0502-R50B		

Available upon individual enquiries. Details in the Customer Service department.
Available upon individual enquiries. Details in the Customer Service department.

HPL WOOD DECORS
HPL WOOD DECORS

				
Dark Gray Chicago Concrete F187	Light Concrete F274	Metallic Inox F500	Aluminium F509	Black-Gold Metal Slate F629
				
Gray-Beige Bamenda H1115	Natural Bardolino Oak H1145	Gray Arizona Oak H1150	Navarra Ash H1250	Natural Branson Robinia H1251
				
Truffle Branson Robinia H1253	Light Lakeland Acacia H1277	Natural Wild Oak H1318	Light Sorano Oak H1334	Graphite Denver Oak H1387
				
Ellmau Beech H1582	Verona Cherry H1615	Lincoln Walnut H1714	Mali Wenge H3058	Shorewood H3090
				
Gray Corbridge Oak H3156	Vicenza Oak H3157	Gray Vicenza Oak H3158	Natural Kendal Oak H3170	Anthracite Finition Metallic H3190
				
Brown Finition Metallic H3192	Natural Hamilton Oak H3303	Gray Nebraska Oak H3332	Natural Cordbridge Oak H3395	White Aland Pine H3430
				
Polar Aland Pine H3433	White Fleetwood H3450	Champagne Fleetwood H3451	Gray Lava Fleetwood H3453	Natural Pacific Walnut H3700
				
Natural Hickory H3730	Natural Dijon Walnut H3734	Natural Mandal Maple H3840	Premium White ST19 W1000_ST19	



Classen-Pol S.A.

ul. Wyzwolenia,
44-292 Zwonowice k. Rybnika
tel: +48 (32) 429 20 00

e-mail: biuro@classen.com.pl

www.classen.pl



AZ ÖN VISZONTELADO PARTNERE:

A katalógus tartalma nem minősül ajánlattételnek, az abban található információk elsődleges célja az általános tájékoztatás! A részletekkel kapcsolatban kérjük forduljon cégünkhöz vagy forgalmazó partnereinkhez. A képeken látható színek eltérhetnek a valóságtól! A változtatás jogát fenntartjuk!



Art. nr 60020201 | CLASS. 09.2023/HU



5905612067722

